



Commercial Storage Tank Replacement Parts List M-3 80, 120, & 200 Gallon Models



Models Covered:
M3ST80R5(A)
M3ST120R5(A)
M3ST200R5A
*Denotes warranty year


Effective: October, 2024
ECO 8780

**NOTE: BOTH MODEL AND SERIAL
NUMBERS ARE REQUIRED FOR
ORDERING REPLACEMENT PARTS**

Dimensions and specifications
subject to change without notice.



As required by the state of California Proposition 65.



Item	Description	Model	Model	Model
		M3ST80R5(A)	M3ST120R5(A)	M3ST200R5A
1	Hole Closure	239-31547-02	239-31547-02	239-31547-02
2	Anode Rod (Magnesium)#	415-55483-00	415-55483-00	415-55483-00
	Anode Rod (A420) (Optional)#	415-55487-00	415-55487-00	415-55487-00
3	Inlet/Outlet Nipple 2" NPT X 3 1/2	229-32762-17	229-32762-17	---
	Inlet/Outlet Nipple 2 1/2" NPT X 3 1/2 (ASME only)	---	229-32762-22	229-32762-22
	Inlet/Outlet Nipple 2" NPT X 3 1/2 (Optional Brass)	239-44321-01	239-44321-01	---
	Inlet/Outlet Nipple 2 1/2" NPT X 3 1/2 (ASME only Optional Brass)	---	239-44321-02	239-44321-02
4	Trim Ring-Grey (2 pls.)	239-32793-05	239-32793-05	239-32793-05
5	T&P Relief Valve*	---	---	---
6	Foam Escutcheon	239-81470-03	239-81470-03	239-81470-03
7	Brass Drain Valve	415-42351-02	415-42351-04	415-42351-04
8	Back Cover Screw #8-18 x 1/2	---	239-32761-00	---
	Back Cover Screw #8-18 x 1/2 (ASME)	---	239-32761-00	---
9	Cover Aux.	---	243-47670-00	---
	Cover Aux. (ASME)	---	243-47670-00	---
10	Clean Out O-Ring Gasket	205-18427-00	---	---
	Clean Out Gasket (ASME)	205-32942-00	205-32942-00	205-32942-00
11	Clean Out Cover	205-18428-00	---	---
	Clean Out Cover (ASME)	205-32941-00	205-32941-00	205-32941-00
12	Clean Out Cover Screws	239-82166-00	---	---
	Clean Out Cover Screws (ASME)	239-32970-00	239-32970-00	239-32970-00
13	Clean Out Access Cover	243-20299-00	243-20299-00	243-20299-00
14	Kit-Cleanout (Not For Use With ASME Tanks)	415-54256-00	415-54256-00	415-54256-00

Anode may need to be cut to length, please see page 4 for reference chart of anode length by model.

* A combination temperature and pressure relief valve is required by code as a protective device. It is not normally supplied by the tank manufacturer as original equipment. It is traditionally provided by the installer and is shown here for replacement parts purposes. The T&P valve for these storage tanks must be rated for the BTU input of the heater of the system where installed. P/N [230-33630-04](#) T&P valve 1" NPT female thread rated for 750,000 BTU.



United States

Sales 1-800-523-2931
Technical Support 1-800-334-3393
Email techsupport@bradfordwhite.com
Warranty 1-800-531-2111
Email warranty@bradfordwhite.com
Service Parts 1-800-538-2020
Email parts@bradfordwhite.com

Canada

Sales 1-866-690-0961 1-905-203-0600
Fax 905-636-0666
Warranty 1-800-531-2111
Email warranty@bradfordwhite.com
Technical Support 1-800-334-3393
Email techsupport@bradfordwhite.com
Service Parts and Orders ca.orders@bradfordwhite.com

For U.S. and Canada field service, contact your professional installer or local Bradford White sales representative.

International

General Contact international@bradfordwhite.com