Garland

# GFE Series Restaurant Ranges
# All Models
# CE & Non-CE Versions

# PARTS LIST

Toll Free Phone, (US & Canada): (800) 427-6668

Toll Free Fax, (US & Canada): (800) 361-7745

http://www.garland-group.com

FORM # GFE Series Range (Rev 4)

Garland

# GFE Series Restaurant Ranges
# All Models
# CE & Non-CE Versions

## Contents:


Garland 24" GFE Series Restaurant Range Space Saver Standard Oven View Section . . . . . Page 4

Garland 48" GFE Series Restaurant Range 2 Space Saver Standard Oven View Section . . . . . Page 8

Garland 36" GFE Series Restaurant Range Standard Oven View Section . . . . . Page 12

Garland 60" GFE Series Restaurant Range Standard Oven View Section . . . . . Page 16

Garland 36" GFE Series Restaurant Range Convection Oven (RC) View Section . . . . . Page 20

Garland 60" GFE Series Restaurant Range Convection Oven (RC) View Section . . . . . Page 24

Open Top View Section . . . . . Page 28

Garland GFE Series Restaurant Range - Hi / Low Griddle Top View Section . . . . . Page 30

Garland 60" Restaurant Range - Raised Griddle Broiler View Section . . . . . Page 34

Garland Thermostat Griddle Top View Section . . . . . Page 38

Garland Hot Top Section View . . . . . Page 42

36" High Shelf Section View . . . . . Page 44


60" High Shelf Section View . . . . . Page 46

Wiring Diagrams, Manuals & Gas Conversion Kits . . . . . Page 48

Garland Restaurant Range - Overlay View Details . . . . . Page 49

Revision History . . . . . Page 50

# GARLAND 24" GFE SERIES RESTAURANT RANGE
# SPACE SAVER STANDARD OVEN VIEW SECTION



# GARLAND PARTS IDENTIFICATION

## GARLAND 24" GFE SERIES RESTAURANT RANGE SPACE SAVER STANDARD OVEN VIEW SECTION

| ITEM | PART # | DESCRIPTION | QTY | From | Up To | Critical |
|---|---|---|---|---|---|---|
| 1A | 4523184 | 24" Main Channel Front | 1 | | | |
| 1B | 4525529 | 24" Main Channel Rear | 1 | | | |
| 2 | 4522764 | Body Side Lt/Rt | 2 | | | |
| 3 | 4523041 | Main Back 24" Oven | 1 | | | |
| 4 | 4522762 | Flue Riser Std Oven | 1 | | | |
| 5 | 4525074 | 6" Adjustable Leg S/S | 4 | | | |
| 6 | ***2200700*** | ***Pilot R/H #0.145.010 (Mounted on L/H Side of Burner)*** <br> ***More Details on Page 33*** | 1 | | | C |
| 7 | 4525285 | G/U Oven Pilot Shield L/H (Used for 2200700 Pilot R/H - item 6) | 1 | | | |
| 10 | ***2200706*** | ***Thermocouple Retaining Nut*** | 1 | | | C |
| 11 | 4524677 | Pilot Bracket - Garland/USR | 1 | | | |
| 12 | 2200704 | 3/16" Compression Nut - Oven Pilot | 1 | | | C |
| 13 | 2200705 | 3/16" Ferrule - Oven Pilot | 1 | | | C |
| 14 | ***4523506*** | ***Thermocouple Oven 60"*** | 1 | | | C |
| 15 | 4522763 | Oven Burner Rest | 1 | | | |
| 16 | 2512200 | Burner Hold Down Bracket | 1 | | | |
| 17 | ***2200702*** | ***Pilot Orifice #32 Natural Gas*** | 1 | | | C |
| | ***2200703*** | ***Pilot Orifice #23 Propane*** | 1 | | | C |
| | | **Non CE and CE Export** | | | | |
| 18 | ***M9-33*** | ***Large Orifice # 33 Natural Gas (G20)*** | 1 | | | C |
| | ***M9-51*** | ***Large Orifice # 51 Propane (G31)*** | 1 | | | C |
| | ***M9-33*** | ***Large Orifice # 33 Natural Gas (G20) - Australia*** | 1 | | | C |
| | ***M9-52*** | ***Large Orifice # 52 Propane (G31) - Australia*** | 1 | | | C |
| | | | | | | |
| 19 | ***14155XX*** | ***Oven Orifice Fitting (without orifice)*** | 1 | | | C |
| 20 | 4522781 | Orifice Bracket Oven | 1 | | | |
| 21 | 4525464 | H - Burner With Air Shutter Assembly | 1 | | | |
| 22 | 2512100 | Oven Burner Air Shutter | 1 | | | |
| 23 | 1014901 | Cast Iron H-Burner (Partially Ported) | 1 | | | |
| 24 | 4525285 | G/U Oven Pilot Shield L/H (Use for 2200700 Pilot R/H) | 1 | | | |
| 25 | 4525154 | Garland 20W Oven Door Assembly | 1 | | | |
| 26 | 4523125 | Door Frame Assembly 20W | 1 | | | |
| 27 | 1082500 | Oven Door Trunion | 2 | | | |
| 28 | 4522738 | Oven Door Panel 20W (with holes) | 1 | | | |
| 29 | 4522397 | Garland Logo | 1 | | | |
| 30 | 4522378 | Oven Door Liner 20W | 1 | | | |
| 30A | 4522791 | Insulation Door Filler 20W | 2 | | | |
| 30B | 4522790 | Insulation Door Brace 20W | 2 | | | |
| 31 | 4522407 | Door Handle End Insulator | 2 | | | |
| 32 | 4522404 | Door Handle End - Garland | 2 | | | |
| 33 | 4522645 | Door Handle Garland 24" 1.250 dia. | 1 | | | |
| 34 | 1082802 | Hinge Link Rt | 1 | | | C |
| 35 | 4522772 | Bell Crank Assembly | 1 | | | |
| 36 | F299 | Bolt 1/4-20x1/2" Bell Crank | 1 | | | |
| 37 | 4522818 | Bell Crank Support Bracket | 1 | | | |
| 38 | 1005800 | Oven Door Spring - Garland | 1 | | | C |
| 39 | ***9004701*** | ***Oven Door Spring Hook*** | 1 | | | C |
| 40 | 4523654 | Spring Support Bracket (20W Door) | 1 | | | |
| 41 | 4523039 | Kick Panel 20W | 1 | | | |
| 42 | ***4526237*** | ***Knob Assembly - Oven Sit Deg F (FF-Series)*** | 1 | | | C |
| | ***4526238*** | ***Knob Assembly - Oven Sit Deg C (FF-Series)*** | | | | C |
| 43 | 4523081 | ES Shield Mount | 1 | | | |
| 44 | ***4523006*** | ***SIT Oven Control*** | 1 | | | C |
| 45 | 1095499 | Straight Connector 7/16 | 2 | | | |
| 46 | 4523079 | ES Shield Rt | 1 | | | |
| 47 | 4523080 | SIT Lt Shield | 1 | | | |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

# GARLAND PARTS IDENTIFICATION

## GARLAND 24" GFE SERIES RESTAURANT RANGE SPACE SAVER STANDARD OVEN VIEW SECTION

| ITEM | PART # | DESCRIPTION | QTY | From | Up To | Critical |
|---|---|---|---|---|---|---|
| 48 | 4524545 | SIT Top Shield (Flame Failure Models) | 1 | | | |
| 49 | 4524549 | Tube - Sit To Manifold (Flame Failure Models) | 1 | | | |
| 49A | 4520720 | 7/16" Flexible Tubing Sit To Manifold (NOTE: Only Use for Models with 12" Griddles Mounted on the L/H Side of the Range) | 1 | | | |
| 50 | 4522411 | Rack Guide 26D | 2 | | | |
| 51 | 4522410 | Oven Rack 20W x 26D | 1 | | | |
| 52 | 4525552 | Baffle Pan Right Hand 20W | 1 | | | |
| 53 | 4525551 | Baffle Pan Left Hand 20W | 1 | | | |
| 54 | 4522384 | Oven Hearth 20W x 22D - Enamelled | 1 | | | |
| 55 | 4522991 | Corner Column Rt 24" | 1 | | | |
| 56 | 4522990 | Corner Column Lt 24" | 1 | | | |
| 57 | F298 | Bolt 10-24 x 3/8 Long Shoulder Truss HD | 2 | | | |
| 58 | 4524740 | 24" Valve Panel - Standard | 1 | | | |
| | 4524738 | 24" Valve Panel - 12" Standard & Thermostat Griddle R/H Side | 1 | | | |
| | 4524739 | 24" Valve Panel - 12" Standard & Thermostat Griddle L/H Side | 1 | | | |
| | 4524741 | 24" Valve Panel - 24" Standard & Thermostat Griddle | 1 | | | |
| 59 | 4523196 | 24" Plate Rail | 1 | | | |
| 60 | 4524519 | Garland Valve Panel End Cap - Left - FF | 1 | | | |
| 61 | 4524520 | Garland Valve Panel End Cap - Right - FF | 1 | | | |
| 62 | 4523299 | Burner Box Filler - FF | 2 | | | |
| 63 | 4522561 | Manifold Assembly - 24" (without Fitting) | 1 | | | |
| 63A | 4527202 | 24" Manifold Assembly (Australia Units Only) | 1 | | | |
| 64 | ***3018200*** | ***CE Regulator - Natural Gas 4.5" WC (3/4" Regulator)*** | 1 | | | C |
| | ***3018201*** | ***CE Regulator - Propane Gas 10" WC (3/4" Regulator)*** | 1 | | | C |
| 65 | G02352-1 | 90 Deg Elbow 9/8" Pipe - 7/16" Tube | 1 | | | |
| 66 | G02251-1 | Pressure Test Spigot | 1 | | | |
| 67 | 2203400 | 1/8" NPT Pipe Plug | 2 | | | |
| 68 | 4523142 | .187 Dia Tubing - S.I.T. Valve to Oven Pilot | 1 | | | |
| 68A | 4527220 | SIT Pilot Tube Connection | 1 | | | |
| 69 | 4523243 | .437 Dia Tubing - Valve to Oven Orifice Fitting | 1 | | | |
| 70 | 4523043 | Air Shield Pilot 20W | 1 | | | |
| 71 | 4523042 | Air Shield Solid 20W | 1 | | | |
| 72 | 4523052 | Capillary Guard 20W Standard Oven | 1 | | | |
| 73 | 4523030 | Bulb Guard Standard Oven | 1 | | | |
| 74 | 4523194 | Rail Support Bracket | 1 | | | |
| 75 | 1082700 | Harness Ring | 2 | | | |
| 76 | 4522400 | Trunion Bracket | 2 | | | |
| 77 | 4523087 | Grate Support Rail | 1 | | | |
| 78 | 4523186 | 24" Drip Angle | 2 | | | |
| 79 | 1005110 | Flue Collar - Aluminized | 1 | | | |
| 84A | 4523536 | 6" Caster Package (Optional) | 1 | | | |
| 84B | 4523547 | Adjustable Caster Package (Optional) | 1 | | | |
| 85 | 4522417 | 6" Caster (3/4-10 Mount) W/O Brake | 2 | | | |
| | 4525597 | 6" Adjustable Caster (3/4-10 Mount) W/O Brake | 2 | | | |
| 86 | 4522916 | 6" Caster (3/4-10 Mount) With Brake | 2 | | | |
| | 4525598 | 6" Adjustable Caster (3/4-10 Mount) With Brake | 2 | | | |
| 87 | 4526157 | Caster Washer - one per caster<br>Used from serial #0901100100838 | 4 | 20-Jan-09 | | |
| 88 | 4526325 | Caster Washer Kit (4 washers included) | 1 | | | |
| 89A | 4526323 | Adjustable Caster Package (included item 84B & 88) | 1 | | | |
| 89B | 4526324 | 6" Caster package (included item 84A & 88) | | | | |
| 93 | 4523398 | Power Cord 6' 3/14GA 15Amp SJ00W | 1 | | | |
| 94 | G01497-1 | BX Connector Straight 3/8" | 1 | | | |
| 95 | 2573800 | Terminal Box Cover | 1 | | | |
| 96 | 2573700 | Terminal Box | 1 | | | |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

## GARLAND PARTS IDENTIFICATION


### GARLAND 24" GFE SERIES RESTAURANT RANGE SPACE SAVER STANDARD OVEN VIEW SECTION

| ITEM | PART # | DESCRIPTION | QTY | From | Up To | Critical |
|---|---|---|---|---|---|---|
| 97 | ***4514749*** | ***Spark Generator 230V - 4 Outlets<br>Note: 1 outlet required for each pilot*** | 2 | | | C |
| | ***4514750*** | ***Spark Generator 120V - 4 Outlets<br>Note: 1 outlet required for each pilot*** | 2 | | | C |
| 99 | 4516898 | Insulator Plate (for Spark Generator) | 2 | | | |
| 100 | 3050401 | Miniature Terminal Block Assy 3P | 1 | | | |
| 105 | 4524966 | Spark Ignition Box Cover | 1 | | | |
| 106 | 4524965 | Spark Ignition Box | 1 | | | |
| 107 | 1028500 | Connector 3/8" 90Deg. | 1 | | | |
| 108 | ***4527834*** | ***Momentary Switch Push Button*** | 1 | | | C |
| 109 | 3064800 | Decorative Dress Nut APEM#A540 | 1 | | | |
| 110 | ***2200213*** | ***90" High Tension Wire Leads*** | 1 | | | C |
| 111 | ***G03883R*** | ***Thermoflex Insulating Sleeve (sold by the Ft.) 81" required*** | 1 | | | C |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

# GARLAND 48" GFE SERIES RESTAURANT RANGE
# TWO SPACE SAVER OVEN VIEW SECTION




GFE48 Two Space Saver Oven

# GARLAND PARTS IDENTIFICATION

## GARLAND 48" GFE SERIES RESTAURANT RANGE 2 SPACE SAVER STANDARD OVEN VIEW SECTION

| ITEM | PART # | DESCRIPTION | Oven Left | Oven Right | Double Oven | From | Up To | Critical |
|---|---|---|---|---|---|---|---|---|
| 1 | 4523184 | 24" Main Channel - Front | 2 | 2 | 2 | | | |
| 2 | 4525529 | 24" Main Channel - Rear | 2 | 2 | 2 | | | |
| 3 | 4522764 | Body Side Lt/Rt | 2 | 2 | 2 | | | |
| 4 | 4523041 | Main Back - 24" | 2 | 2 | 2 | | | |
| 5 | 4522762 | Flue Riser Standard Oven | 2 | 2 | 2 | | | |
| 6 | 4525074 | 6" Adjustable Leg S/S | 4 | 4 | 4 | | | |
| | 4524104 | 6" Adjustable Flanged Leg S/S - Optional | 4 | 4 | 4 | | | |
| 7 | 4523536 | 6" Caster Package 3/4-10 Mount (Optional) | 1 | 1 | 1 | | | |
| | 4523547 | Adjustable Caster Package 3/4-10 Mount (Optional) | | | | | | |
| 8 | 4522417 | 6" Caster (3/4-10 Mount) W/O Brake | 2 | 2 | 2 | | | |
| | 4525597 | Adjustable Caster (3/4-10 Mount) W/O Brake | | | | | | |
| 9 | 4522916 | 6" Caster (3/4-10 Mount) With Brake | 2 | 2 | 2 | | | |
| | 4525598 | Adjustable Caster (3/4-10 Mount) With Brake | | | | | | |
| ***NOTE: When replacing a Caster, washer (4526157) will be required for ranges manufactured before Jan 20/2009*** | | | | | | | | |
| 10 | 4526157 | Caster Washer (1 required per caster) - Used from Jan 20/2009 (Serial #0901100100838) | 4 | 4 | 4 | 20-Jan-09 | | |
| 11 | 4526325 | Caster Washer Kit (4 washers included) | 1 | 1 | 1 | | | |
| 12 | ***2200700*** | ***Pilot R/H #0.145.010 - Oven on the Left (Mounted on L/H Side of Burner) More details on Page 33*** | 1 | | 1 | | | C |
| | ***2200701*** | ***Pilot L/H #0.145.007 - Oven on the Right (Mounted on R/H Side of Burner) More details on Page 37*** | | 1 | 1 | | | C |
| 13 | 4525285 | G/U Oven Pilot Shield L/H (Used for 2200700 Pilot R/H) Used from Serial #0806100100492/Model: G36-6R-0022 | 1 | | 1 | | | |
| | 4525300 | G/U Oven Pilot Shield R/H (Used for 2200701 Pilot L/H) Used from Serial #0806100100492/Model: G36-6R-0022 | | 1 | 1 | | | |
| 14 | 4524677 | Pilot Bracket - Garland/US Range | 1 | 1 | 2 | | | C |
| 15 | ***2200706*** | ***Thermocouple Retaining Nut*** | 1 | 1 | 2 | | | C |
| 16 | 2200704 | 3/16" Compression Nut - Oven Pilot | 1 | 1 | 2 | | | C |
| 17 | 2200705 | 3/16" Ferrule - Oven Pilot | 1 | 1 | 2 | | | C |
| 18 | ***4523506*** | ***Thermocouple Oven 60"*** | 1 | 1 | 2 | | | C |
| 19 | 4522763 | Oven Burner Rest | 1 | 1 | 2 | | | |
| 20 | 2512200 | Burner Hold Down Bracket | 1 | 1 | 2 | | | |
| 21 | ***2200702*** | ***Pilot Orifice #32 Natural Gas*** | 1 | 1 | 2 | | | C |
| | ***2200703*** | ***Pilot Orifice #23 Propane*** | | | | | | |
| **Non CE and CE Export** | | | | | | | | |
| 22 | ***1415533F*** | ***Oven Orifice Fitting w/#33 Hood (Natural)*** | 1 | 1 | 2 | | | C |
| | ***1415551F*** | ***Oven Orifice Fitting w/#51 Hood (Propane)*** | 1 | 1 | 2 | | | C |
| | ***1515552F*** | ***Oven Orifice Fitting w/#52 Hood (Propane)*** | 1 | 1 | 2 | | | C |
| 23 | ***M9-33*** | ***Large Orifice # 33 Natural Gas (G20)*** | 1 | 1 | 2 | | | C |
| | ***M9-51*** | ***Large Orifice # 51 Propane (G31)*** | 1 | 1 | 2 | | | C |
| | ***M9-33*** | ***Large Orifice # 33 Natural Gas (G20) - Australia*** | 1 | 1 | 2 | | | C |
| | ***M9-52*** | ***Large Orifice # 52 Propane (G31) - Australia*** | 1 | 1 | 2 | | | C |
| 24 | ***14155XX*** | ***Oven Orifice Fitting (without orifice)*** | 1 | 1 | 2 | | | C |
| 25 | 4522781 | Orifice Bracket Oven | 1 | 1 | 2 | | | |
| 26 | 4525464 | Cast Iron H-Burner (Partially Ported) with Large Air Shutter | 1 | 1 | 2 | | | |
| 27 | 2512100 | Large Air Shutter | 1 | 1 | 2 | | | |
| 28 | 1014901 | Cast Iron H-Burner (Partially Ported) | 1 | 1 | 2 | | | |
| 29 | 4523566 | Garland 20W Oven Door Assembly | 1 | 1 | 2 | | | |
| 30 | 4523125 | Door Frame Assembly 20W | 1 | 1 | 2 | | | |
| 31 | 1082500 | Oven Door Trunion | 2 | 2 | 4 | | | |
| 32 | 4522738 | Oven Door Panel 20W (with holes) | 1 | 1 | 2 | | | |
| 33 | 4522397 | Garland Logo - Large | 1 | 1 | 2 | | | |
| 34 | 4522378 | Oven Door Liner 20W | 1 | 1 | 2 | | | |
| 35 | 4522407 | Door Handle End Insulator | 2 | 2 | 4 | | | |
| 36 | 4522404 | Door Handle End - Garland/USR | 2 | 2 | 4 | | | |
| 37 | 4522645 | Door Handle Garland/USR 20W | 1 | 1 | 2 | | | |
| 38 | 1082802 | Hinge Link Rt | 1 | 1 | 2 | | | C |
| 39 | 4522772 | Bell Crank Assembly | 1 | 1 | 2 | | | |
| 40 | F299 | Bolt 1/4-20 x 1/2" Bell Crank | 1 | 1 | 2 | | | |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

## GARLAND PARTS IDENTIFICATION

### GARLAND 48" GFE SERIES RESTAURANT RANGE 2 SPACE SAVER STANDARD OVEN VIEW SECTION

| ITEM | PART # | DESCRIPTION | Oven Left | Oven Right | Double Oven | From | Up To | Critical |
|---|---|---|---|---|---|---|---|---|
| 41 | 4522818 | Bell Crank Support Bracket | 1 | 1 | 2 | | | |
| 42 | 1005800 | Oven Door Spring | 1 | 1 | 2 | | | C |
| 43 | 9004701 | Oven Door Spring Hook | 1 | 1 | 2 | | | C |
| 44 | 4523654 | Spring Support Bracket (20W Oven) | 1 | 1 | 2 | | | |
| 45 | 4523039 | Kick Panel 20W | 1 | 1 | 2 | | | |
| 46 | ***4526237*** | ***Knob Assembly - Oven Sit Deg F (FF-Series)*** | 1 | 1 | 2 | | | C |
| | ***4526238*** | ***Knob Assembly - Oven Sit Deg C (FF-Series)*** | | | | | | |
| 47 | 4523081 | SIT Shield Mount | 1 | 1 | 2 | | | |
| 48 | ***4523006*** | ***SIT Oven Control*** | 1 | 1 | 2 | | | C |
| 49 | 1095499 | Straight Connector 7/16" | 2 | 2 | 4 | | | |
| 50 | 4523079 | SIT Shield Right | 1 | 1 | 2 | | | |
| 51 | 4523080 | SIT Shield Left | 1 | 1 | 2 | | | |
| 52 | 4523499 | SIT Shield Top | 1 | 1 | 2 | | | |
| 53 | 4523145 | Tube - SIT to Manifold | 1 | 1 | 2 | | | |
| | 45207020 | Flex Tube - SIT to Manifold (NOTE: Use only for models with 12" griddles mounted on the left side of the range) | 1 | | | | | |
| 54 | 4522411 | Rack Guide 26D | 2 | 2 | 4 | | | |
| 55 | 4522410 | Oven Rack 20W x 26D | 1 | 1 | 2 | | | |
| 56 | 4522384 | Oven Hearth 20W x 26D (Enamelled) | 1 | 1 | 2 | | | |
| 57 | ***4525049*** | ***CE Regulator - Natural Gas 4.5" WC (1" Regulator)*** | 1 | 1 | 1 | | | C |
| | ***4525050*** | ***CE Regulator - Propane Gas 10" WC (1" Regulator)*** | | | | | | C |
| 58 | ***4522421*** | ***Non - CE Regulator - Natural Gas 4.5" WC (1" Regulator)*** | 1 | 1 | 1 | | | C |
| | ***4522422*** | ***Non - CE Regulator - Propane Gas 10" WC (1" Regulator)*** | | | | | | C |
| 61 | 4525552 | Baffle Pan 20W Right | 1 | 1 | 2 | | | |
| 62 | 4525551 | Baffle Pan 20W Left | 1 | 1 | 2 | | | |
| 63 | 4522990 | Corner Column Left | 1 | 1 | 1 | | | |
| 64 | 4522993 | Center Column | 1 | 1 | 1 | | | |
| 65 | 4522991 | Corner Column Right | 1 | 1 | 1 | | | |
| 66 | F298 | Bolt 10-24 X 3/8" Long Shoulder Truss Head | 4 | 4 | 8 | | | |
| 67 | 4524850 | 48" Valve Panel - Standard (8 Open Top Burners) | 1 | 1 | 1 | | | |
| | 4524851 | 48" Valve Panel - 12" Standard Griddle R/H Side | 1 | 1 | 1 | | | |
| | | 48" Valve Panel - 12" Thermostat Griddle R/H Side | 1 | 1 | 1 | | | |
| | 4524852 | 48" Valve Panel - 12" Standard Griddle L/H Side | 1 | 1 | 1 | | | |
| | | 48" Valve Panel - 12" Thermostat Griddle L/H Side | 1 | 1 | 1 | | | |
| | 4524853 | 48" Valve Panel - 24" Standard Griddle R/H Side | 1 | 1 | 1 | | | |
| | | 48" Valve Panel - 24" Thermostat Griddle R/H Side | 1 | 1 | 1 | | | |
| | 4524854 | 48" Valve Panel - 24" Standard Griddle L/H Side | 1 | 1 | 1 | | | |
| | | 48" Valve Panel - 24" Thermostat Griddle L/H Side | 1 | 1 | 1 | | | |
| | 4524855 | 48" Valve Panel - 36" Standard Griddle R/H Side | 1 | 1 | 1 | | | |
| | | 48" Valve Panel - 36" Thermostat Griddle R/H Side | 1 | 1 | 1 | | | |
| | 4524856 | 48" Valve Panel - 36" Standard Griddle L/H Side | 1 | 1 | 1 | | | |
| | | 48" Valve Panel - 36" Thermostat Griddle L/H Side | 1 | 1 | 1 | | | |
| 68 | 4523197 | 48" Plate Rail | 1 | 1 | 1 | | | |
| 69 | 4523073 | Garland/USR Valve Panel End Cap Left | 1 | 1 | 1 | | | |
| 70 | 4523074 | Garland/USR Valve Panel End Cap Right | 1 | 1 | 1 | | | |
| 71 | 4523193 | Burner Box Filler | 2 | 2 | 2 | | | |
| 72 | 4522563 | Manifold Assembly 48" (without Fittings) | 1 | 1 | 1 | | | |
| 72A | 4527204 | 48" Manifold Assembly (Australia Only) | 1 | 1 | 1 | | | |
| 74 | G02352-1 | 90 Deg Elbow 3/8" Pipe to 7/16" Tube | 1 | 1 | 2 | | | |
| 75 | G02251-1 | Pressure Test Spigot | 1 | 1 | 1 | | | |
| 76 | 2203400 | 1/8" NPT Pipe Plug (Griddle/Hot tops only) - Quantity per Griddle/Hot top section | 2 | | | | | |
| 77 | 4523142 | .187 Dia Tubing SIT Valve to Oven Pilot - Oven on the Left | 1 | | 1 | | | |
| 78 | 4523180 | .187 Dia Tubing SIT Valve to Oven Pilot - Oven on the Right | | 1 | 1 | | | |
| 79 | 4523243 | .437 Dia Tubing SIT Valve to Oven Orifice Fitting - Oven on the Left | 1 | | 1 | | | |
| 79A | 4527220 | SIT Pilot Tube Connection | 1 | 1 | 2 | | | |
| 80 | 4524963 | .437 Dia Tubing SIT Valve to Oven Orifice Fitting - Oven on the Right | | 1 | 1 | | | |
| 81 | 4523043 | Air Shield Pilot 20W | 1 | 1 | 2 | | | |
| 82 | 4523042 | Air Shield Solid 20W | 1 | 1 | 2 | | | |
| 83 | 4523052 | Capillary Guard 20W | 1 | 1 | 2 | | | |
| 84 | 4523030 | Bulb Guard | 1 | 1 | 2 | | | |
| 85 | 4523194 | Rail Support Bracket | 2 | 2 | 2 | | | |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

## GARLAND PARTS IDENTIFICATION


### GARLAND 48" GFE SERIES RESTAURANT RANGE 2 SPACE SAVER STANDARD OVEN VIEW SECTION

| ITEM | PART # | DESCRIPTION | Oven Left | Oven Right | Double Oven | From | Up To | Critical |
|---|---|---|---|---|---|---|---|---|
| 86 | 1082700 | Harness Ring | 2 | 2 | 4 | | | |
| 87 | 4522400 | Trunion Bracket | 2 | 2 | 4 | | | |
| 88 | 4523087 | Grate Support Rail - Depends on top configuration (maximum quantity shown) | 2 | | | | | |
| 89 | 4523186 | 24" Drip Angle | 4 | 4 | 4 | | | |
| 90 | 1005104 | Flue Collar | 1 | 1 | 2 | | | |
| 91 | 4522996 | Tie Strap Front | 1 | 1 | 1 | | | |
| 92 | 4522995 | Tie Strap Top | 1 | 1 | 1 | | | |
| 93 | 4524634 | Veneer Back S/S - 48" Standard Oven (Optional) | 1 | 1 | 1 | | | |
| 94 | F16 | SIT to Manifold Mounting Bolts (#10-24 Round Head x 2-1/2" Long) | 2 | 2 | 4 | | | |
| 95 | F312 | SIT to Manifold K-Lock Nut (#14-24) | 2 | 2 | 4 | | | |
| 105 | 4524966 | Spark Ignition Box Cover | 1 | 1 | 1 | | | |
| 106 | 4524965 | Spark Ignition Box | 1 | 1 | 1 | | | |
| 107 | 1028500 | Connector 3/8" 90Deg. | 1 | 1 | 1 | | | |
| 108 | ***4527834*** | ***Momentary Switch Push Button*** | 1 | 1 | 1 | | | C |
| 109 | 3064800 | Decorative Dress Nut APEM#A540 | 1 | 1 | 1 | | | |
| 110 | ***2200213*** | ***90" High Tension Wire Leads*** | 1 | 1 | 2 | | | C |
| 111 | ***G03883R*** | ***Thermoflex Insulating Sleeve (sold by the Ft.)<br>81" required per Oven*** | 1 | 1 | 2 | | | C |
| 115 | 4523398 | Power Cord 6' 3/14GA 15Amp SJ00W | 1 | 1 | 1 | | | |
| 116 | G01497-1 | BX Connector Straight 3/8" | 1 | 1 | 1 | | | |
| 119 | ***4514749*** | ***Spark Generator 230V - 4 Outlets<br>Note: 1 outlet required for each pilot*** | 2 | 2 | 2 | | | C |
| | ***4514750*** | ***Spark Generator 120V - 4 Outlets<br>Note: 1 outlet required for each pilot*** | 2 | 2 | 2 | | | C |
| 120 | 4516898 | Insulator Plate (for Spark Generator) | 1 | 1 | 2 | | | |
| 121 | 2566500 | Spark Generator Housing | 1 | 1 | 1 | | | |
| 122 | 2566600 | Spark Box Cover | 1 | 1 | 1 | | | |
| 123 | 2570400 | Divider | 1 | 1 | 1 | | | |
| 125 | 3050401 | Miniature Terminal Block Assy 3P | 1 | 1 | 1 | | | |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

# GARLAND 36" GFE SERIES RESTAURANT RANGE
# STANDARD OVEN OVEN VIEW SECTION




GFE36 Oven Section

# GARLAND PARTS IDENTIFICATION

## GARLAND 36" GFE SERIES RESTAURANT RANGE STANDARD OVEN VIEW SECTION

| ITEM | PART # | DESCRIPTION | QTY | From | Up To | Critical |
|---|---|---|---|---|---|---|
| 1A | 4523068 | 36" Main Channel Front | 1 | | | |
| 1B | 4525530 | 36" Main Channel Rear | 1 | | | |
| 2 | 4522764 | Body Side Lt/Rt | 2 | | | |
| 3 | 4522761 | Main Back 36" | 1 | | | |
| 4 | 4522762 | Flue Riser Standard Oven | 1 | | | |
| 5 | 4525074 | 6" Adjustable Leg S/S | 4 | | | |
| 6 | ***2200700*** | ***Pilot R/H #0.145.010 (Mounted on L/H Side of Burner)*** <br> ***More Details on Page 33*** | 1 | | | C |
| 7 | 4525285 | G/U Oven Pilot Shield L/H (Used for 2200700 Pilot R/H - item 6) | 1 | | | |
| 10 | ***2200706*** | ***Thermocouple Retaining Nut*** | 1 | | | C |
| 11 | 4524677 | Pilot Bracket - Garland/USR | 1 | | | |
| 12 | 2200704 | 3/16" Compression Nut - Oven Pilot | 1 | | | C |
| 13 | 2200705 | 3/16" Ferrule - Oven Pilot | 1 | | | C |
| 14 | ***4523506*** | ***Thermocouple Oven 60"*** | 1 | | | C |
| 15 | 4522763 | Oven Burner Rest | 1 | | | |
| 16 | 2512200 | Burner Hold Down Bracket | 1 | | | |
| 17 | ***2200702*** | ***Pilot Orifice #32 Natural Gas*** | 1 | | | C |
| | ***2200703*** | ***Pilot Orifice #23 Propane*** | 1 | | | C |
| | | **Non CE and CE Export** | | | | |
| 19A | ***M9-30*** | ***Large Orifice # 30 Natural Gas (G20)*** | 1 | | | C |
| | ***M9-50*** | ***Large Orifice # 50 Propane (G31)*** | 1 | | | C |
| | ***M9-30*** | ***Large Orifice # 30 Natural Gas (G20) - Australia*** | 1 | | | C |
| | ***M9-50*** | ***Large Orifice # 50 Propane (G31) - Australia*** | 1 | | | C |
| | | | | | | |
| 19B | ***14155XX*** | ***Oven Orifice Fitting (without orifice)*** | 1 | | | C |
| 19C | ***1415530F*** | ***Oven Orifice Fitting w/#30 Hood - Nat*** | 1 | | | C |
| | ***1415550F*** | ***Oven Orifice Fitting w/#50 Hood - Propane Gas*** | 1 | | | C |
| 20 | 4522781 | Orifice Bracket Oven | 1 | | | |
| 21 | 4525464 | H - Burner With Air Shutter Assembly (Partially Ported) | 1 | | | |
| 22 | 2512100 | Oven Burner Air Shutter | 1 | | | |
| 23 | 1014901 | Cast Iron H-Burner (Partially Ported) | 1 | | | |
| 25 | 4525151 | Garland 26W Oven Door Assembly | 1 | | | |
| 26 | 4522769 | Door Frame Assembly 26W | 1 | | | |
| 27 | 1082500 | Oven Door Trunion | 2 | | | |
| 28 | 4522737 | Oven Door Panel 26W (with holes) | 1 | | | |
| 29 | 4522397 | Garland Logo | 1 | | | |
| 30 | 4522377 | Oven Door Liner 26W | 1 | | | |
| 31 | 4522407 | Door Handle End Insulator | 2 | | | |
| 32 | 4522404 | Door Handle End - Garland | 2 | | | |
| 33 | 4522644 | Door Handle Garland 36" 1.250 dia. | 1 | | | |
| 34A | 4522789 | Insulation Door Filler 26W | 2 | | | |
| 34B | 4522788 | Insulation Door Brake 26W | 2 | | | |
| 35 | 1082802 | Hinge Link Rt | 1 | | | C |
| 36 | 1082803 | Hinge Link Lt | 1 | | | C |
| 37 | 4522772 | Bell Crank Assembly | 2 | | | |
| 38 | F299 | Bolt 1/4-20x1/2" Bell Crank | 2 | | | |
| 39 | 4522818 | Bell Crank Support Bracket | 2 | | | |
| 40 | 1005800 | Oven Door Spring - Garland | 2 | | | C |
| 41 | 4523497 | 6" Long J-Bolt (F598) | 1 | | | C |
| 42 | 4526109 | Door Spring ADJ Bracket | 1 | | | |
| 43 | 4522770 | Kick Panel 26W | 1 | | | |
| 45 | ***4526237*** | ***Knob Assembly - Oven Sit Deg F (Flame Failure Models)*** | 1 | | | C |
| | ***4526238*** | ***Knob Assembly - Oven Sit Deg C (Flame Failure Models)*** | | | | C |
| 55 | 4523081 | ES Shield Mount | 1 | | | |
| 56 | ***4523006*** | ***SIT Oven Control*** | 1 | | | C |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

# GARLAND PARTS IDENTIFICATION

## GARLAND 36" GFE SERIES RESTAURANT RANGE STANDARD OVEN VIEW SECTION

| ITEM | PART # | DESCRIPTION | QTY | From | Up To | Critical |
|---|---|---|---|---|---|---|
| 57 | 1095499 | Straight Connector 7/16 | 2 | | | |
| 58 | 4523079 | ES Shield Rt | 1 | | | |
| 59 | 4523080 | SIT Lt Shield | 1 | | | |
| 60 | 4524545 | SIT Top Shield (Flame Failure Models) | 1 | | | |
| 61 | 4524549 | Tube - Sit To Manifold (Flame Failure Models) | 1 | | | |
| 61A | 4520720 | 7/16" Flexible Tubing Sit To Manifold<br>NOTE: This Flexible Tubing is Only Used For Models with 12" Griddles Mounted on the L/H Side of the Range. | 1 | | | |
| 62 | 4522411 | Rack Guide 26D | 2 | | | |
| 63 | 4522408 | Oven Rack 26W x 26D | 1 | | | |
| 68 | 4524992 | Oven Hearth 26W x 26D - Enamelled | 1 | | | |
| 69 | 4525550 | Baffle Pan Right Hand 26"W | 1 | | | |
| 70 | 4525549 | Baffle Pan Left Hand 26"W | 1 | | | |
| 71 | 4522766 | Corner Column Rt 36" | 1 | | | |
| 72 | 4522765 | Corner Column Lt 36" | 1 | | | |
| 73 | F298 | Bolt 10-24 x 3/8 Long Shoulder Truss HD | 2 | | | |
| 75 | 4524419 | 36" Valve Panel - Standard - FF | 1 | | | |
| | 4524422 | 36" Valve Panel - 12" Standard & Thermostat Griddle R/H Side - FF | 1 | | | |
| | 4524421 | 36" Valve Panel - 12" Standard & Thermostat Griddle L/H Side - FF | 1 | | | |
| | 4525249 | 36" Valve Panel - 24" Thermostat Griddle R/H Side - FF | 1 | | | |
| | 4525251 | 36" Valve Panel - 24" Standard & Thermostat Griddle L/H Side - FF | 1 | | | |
| | 4525253 | 36" Valve Panel - 36" Standard & Thermostat Griddle - FF | 1 | | | |
| 76 | 4523072 | 36" Plate Rail | 1 | | | |
| 77 | 4524519 | Garland Valve Panel End Cap - Left - FF | 1 | | | |
| 78 | 4524520 | Garland Valve Panel End Cap - Right - FF | 1 | | | |
| 79 | 4523299 | Burner Box Filler - FF | 2 | | | |
| 80 | 4522562 | Manifold Assembly - 36" (without Fitting) | 1 | | | |
| 80A | 4527203 | 36" Manifold Assembly (Australia Units Only) | 1 | | | |
| 81 | ***3018200*** | ***CE Regulator - Natural Gas 4.5" WC (3/4" Regulator)*** | 1 | | | C |
| | ***3018201*** | ***CE Regulator - Propane Gas 10" WC (3/4" Regulator)*** | 1 | | | C |
| 82 | G02352-1 | 90 Deg Elbow 9/8" Pipe - 7/16" Tube | 1 | | | |
| 83 | G02251-1 | Pressure Test Spigot | 1 | | | |
| 84 | 2203400 | 1/8" NPT Pipe Plug | 2 | | | |
| 85 | 4523142 | .187 Dia Tubing - Sit Valve to Oven Pilot | 1 | | | |
| 85A | 4527220 | SIT Pilot Tube Connection | 1 | | | |
| 86 | 4523143 | .437 Dia Tubing - Valve to Oven Orifice Fitting | 1 | | | |
| 87 | 4522774 | Air Shield Pilot 26W | 1 | | | |
| 88 | 4522773 | Air Shield Solid 26W | 1 | | | |
| 90 | 4523031 | Capillary Guard 26W Standard Oven | 1 | | | |
| 91 | 4523030 | Bulb Guard Standard Oven | 1 | | | |
| 92 | 4523194 | Rail Support Bracket | 1 | | | |
| 93 | 1082700 | Harness Ring | 2 | | | |
| 94 | 4522400 | Trunion Bracket | 2 | | | |
| 95 | 4523087 | Grate Support Rail | 2 | | | |
| 96 | 4523069 | 36" Drip Angle | 2 | | | |
| 97 | 1005110 | Flue Collar - Aluminized | 1 | | | |
| 98A | 4523536 | 6" Caster Package (Optional) | 1 | | | |
| 98B | 4523547 | Adjustable Caster Package (Optional) | 1 | | | |
| 99 | 4522417 | 6" Caster (3/4-10 Mount) W/O Brake | 2 | | | |
| | 4525597 | 6" Adjustable Caster (3/4-10 Mount) W/O Brake | 2 | | | |
| 100 | 4522916 | 6" Caster (3/4-10 Mount) With Brake | 2 | | | |
| | 4525598 | 6" Adjustable Caster (3/4-10 Mount) With Brake | 2 | | | |
| 101 | 4526157 | Caster Washer - one per caster<br>Used from serial #0901100100838 | 4 | 20-Jan-09 | | |
| 102 | 4526325 | Caster Washer Kit (4 washers included) | 1 | | | |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

# GARLAND PARTS IDENTIFICATION


## GARLAND 36" GFE SERIES RESTAURANT RANGE STANDARD OVEN VIEW SECTION

| ITEM | PART # | DESCRIPTION | QTY | From | Up To | Critical |
|---|---|---|---|---|---|---|
| 103A | 4526323 | Adjustable Caster Package (included item 98B & 102) | 1 | | | |
| 103B | 4526324 | 6" Caster package (included item 98A & 102) | | | | |
| 105 | 4524966 | Spark Ignition Box Cover | 1 | | | |
| 106 | 4524965 | Spark Ignition Box | 1 | | | |
| 107 | 1028500 | Connector 3/8" 90Deg. | 1 | | | |
| 108 | ***4527834*** | ***Momentary Switch Push Button*** | 1 | | | C |
| 109 | 3064800 | Decorative Dress Nut APEM#A540 | 1 | | | |
| 110 | ***2200213*** | ***90" High Tension Wire Leads*** | 1 | | | C |
| 111 | ***G03883R*** | ***Thermoflex Insulating Sleeve (sold by the Ft.) 81" required*** | 1 | | | C |
| 115 | 4523398 | Power Cord 6' 3/14GA 15Amp SJ00W | 1 | | | |
| 116 | G01497-1 | BX Connector Straight 3/8" | 1 | | | |
| 117 | 2573800 | Terminal Box Cover | 1 | | | |
| 118 | 2573700 | Terminal Box | 1 | | | |
| 119 | ***4514749*** | ***Spark Generator 230V - 4 Outlets***<br>***Note: 1 outlet required for each pilot*** | 2 | | | C |
| | ***4514750*** | ***Spark Generator 120V - 4 Outlets***<br>***Note: 1 outlet required for each pilot*** | 2 | | | C |
| 120 | 4516898 | Insulator Plate (for Spark Generator) | 2 | | | |
| 121 | 3050401 | Miniature Terminal Block Assy 3P | 1 | | | |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

# GARLAND 60" GFE SERIES RESTAURANT RANGE STANDARD OVEN VIEW SECTION




GFE60 Oven Section

## GARLAND PARTS IDENTIFICATION

### GARLAND 60" GFE SERIES RESTAURANT RANGE STANDARD OVEN VIEW SECTION

| ITEM | PART # | DESCRIPTION | Oven Left | Oven Right | Double Oven | From | Up To | Critical |
|---|---|---|---|---|---|---|---|---|
| 1A | 4523068 | 36" Main Channel - Front | 1 | 1 | 1 | | | |
| 1B | 4525530 | 36" Main Channel - Rear | 1 | 1 | 1 | | | |
| 2A | 4523184 | 24" Main Channel - Front | 1 | 1 | 1 | | | |
| 2B | 4525529 | 24" Main Channel - Rear | 1 | 1 | 1 | | | |
| 3 | 4522764 | Body Side Lt/Rt | 2 | 2 | 2 | | | |
| 4 | 4522994 | Main Back - 2 Std Ovens | | | 1 | | | |
| | 4522994 | Main Back - Std Oven Rt, Storage Base Lt | | 1 | | | | |
| | 4523025 | Main Back - Std Oven Rt, RC Oven Lt | | | | | | |
| | 4522994 | Main Back - Std Oven Lt, Storage Base Rt | 1 | | | | | |
| | 4523026 | Main Back - Std Oven Lt, RC Oven Rt | | | | | | |
| 5 | 4522762 | Flue Riser Standard Oven | 1 | 1 | 2 | | | |
| 6 | 4525074 | 6" Adjustable Leg S/S | 4 | 4 | 4 | | | |
| 7 | ***2200700*** | ***Pilot R/H #0.145.010 - Oven on the Left (Mounted on L/H Side of Burner)*** | 1 | | 1 | | | C |
| | | ***More Details on Page 33*** | | | | | | |
| | ***2200701*** | ***Pilot L/H #0.145.007 - Oven on the Right (Mounted on R/H Side of Burner)*** | | 1 | 1 | | | C |
| | | ***More Details on Page 37*** | | | | | | |
| 8 | 4525285 | G/U Oven Pilot Shield L/H (Used for 2200700 Pilot R/H) | 1 | | 1 | | | |
| 9 | 4525300 | G/U Oven Pilot Shield R/H (Used for 2200701 Pilot L/H) | | 1 | 1 | | | |
| 11 | ***2200706*** | ***Thermocouple Retaining Nut*** | 1 | 1 | 2 | | | C |
| 12 | 4524677 | Pilot Bracket - Garland/US Range | 1 | 1 | 2 | | | |
| 13 | 2200704 | 3/16" Compression Nut - Oven Pilot | 1 | 1 | 2 | | | C |
| 14 | 2200705 | 3/16" Ferrule - Oven Pilot | 1 | 1 | 2 | | | C |
| 15 | ***4523506*** | ***Thermocouple Oven 60"*** | 1 | 1 | 2 | | | C |
| 16 | 4522763 | Oven Burner Rest | 1 | 1 | 2 | | | |
| 17 | 2512200 | Burner Hold Down Bracket | 1 | 1 | 2 | | | |
| 18 | ***2200702*** | ***Pilot Orifice #32 Natural Gas*** | 1 | 1 | 2 | | | C |
| | ***2200703*** | ***Pilot Orifice #23 Propane*** | | | | | | |
| | | **Non CE and CE Export** | | | | | | |
| 19A | ***M9-30*** | ***Large Orifice # 30 Natural Gas (G20)*** | 1 | 1 | 2 | | | C |
| | ***M9-50*** | ***Large Orifice # 50 Propane (G31)*** | 1 | 1 | 2 | | | C |
| | ***M9-30*** | ***Large Orifice # 30 Natural Gas (G20) - Australia*** | 1 | 1 | 2 | | | C |
| | ***M9-50*** | ***Large Orifice # 50 Propane (G31) - Australia*** | 1 | 1 | 2 | | | C |
| | | | | | | | | |
| 19B | ***14155XX*** | ***Oven Orifice Fitting (without orifice)*** | 1 | 1 | 2 | | | C |
| 19C | ***1415530F*** | ***Oven Orifice Fitting w/#30 Hood - Natural*** | 1 | 1 | 2 | | | C |
| | ***1415550F*** | ***Oven Orifice Fitting w/#50 Hood - Propane Gas*** | 1 | 1 | 2 | | | C |
| 21 | 4522781 | Orifice Bracket Oven | 1 | 1 | 2 | | | |
| 22 | 4525464 | H-Burner (Partially Ported) with Air Shutter Assembly | 1 | 1 | 2 | | | |
| 23 | 2512100 | Oven Burner Air Shutter | 1 | 1 | 2 | | | |
| 24 | 1014901 | Cast Iron H-Burner (Partially Ported) | 1 | 1 | 2 | | | |
| 25 | 4525151 | Garland 26W Oven Door Assembly | 1 | 1 | 2 | | | |
| 26 | 4522769 | Door Frame Assembly 26W | 1 | 1 | 2 | | | |
| 27 | 1082500 | Oven Door Trunion | 2 | 2 | 4 | | | |
| 28 | 4522737 | Oven Door Panel 26W (with holes) | 1 | 1 | 2 | | | |
| 29 | 4522397 | Garland Logo - Large | 1 | 1 | 2 | | | |
| 30 | 4522377 | Oven Door Liner 26W | 1 | 1 | 2 | | | |
| 31 | 4522407 | Door Handle End Insulator | 2 | 2 | 4 | | | |
| 32 | 4522404 | Door Handle End - Garland/USR | 2 | 2 | 4 | | | |
| 33 | 4522644 | Door Handle Garland/USR 26W | 1 | 1 | 2 | | | |
| 34 | 1082802 | Hinge Link Rt | 1 | 1 | 2 | | | C |
| 35 | 1082803 | Hinge Link Lt | 1 | 1 | 2 | | | C |
| 36 | 4522772 | Bell Crank Assembly | 2 | 2 | 4 | | | |
| 37 | F299 | Bolt 1/4-20 x 1/2" Bell Crank | 2 | 2 | 4 | | | |
| 38 | 4522818 | Bell Crank Support Bracket | 2 | 2 | 4 | | | |
| 39 | 1005800 | Oven Door Spring | 2 | 2 | 4 | | | C |
| 40 | 4523497 | 6" Long J-Bolt (F598) | 1 | 1 | 2 | | | C |
| 41 | 4526109 | Door Spring Adjustment Bracket | 1 | 1 | 2 | | | |
| 42 | 4522770 | Kick Panel 26W | 1 | 1 | 2 | | | |
| 43 | ***4526237*** | ***Knob Assembly - Oven Sit Deg F (FF-Series)*** | 1 | 1 | 2 | | | C |
| | ***4526238*** | ***Knob Assembly - Oven Sit Deg C (FF-Series)*** | | | | | | C |
| 44 | 4523081 | SIT Shield Mount | 1 | 1 | 2 | | | |
| 45 | ***4523006*** | ***SIT Oven Control*** | 1 | 1 | 2 | | | C |
| 46 | 1095499 | Straight Connector 7/16" | 2 | 2 | 4 | | | |
| 47 | 4523079 | SIT Shield Right | 1 | 1 | 2 | | | |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

## GARLAND PARTS IDENTIFICATION

### GARLAND 60" GFE SERIES RESTAURANT RANGE STANDARD OVEN VIEW SECTION

| ITEM | PART # | DESCRIPTION | Oven Left | Oven Right | Double Oven | From | Up To | Critical |
|---|---|---|---|---|---|---|---|---|
| 48 | 4523080 | SIT Shield Left | 1 | 1 | 2 | | | |
| 49 | 4524545 | SIT Top Shield (Flame Failure Models) | 1 | 1 | 2 | | | |
| 50 | 4524549 | Tube - Sit To Manifold (Flame Failure Models) | 1 | 1 | 2 | | | |
| 50A | 4520720 | 7/16" Flexible Tubing Sit To Manifold<br>NOTE: This Flexible Tubing is Only Used For Models with 12" Griddles Mounted on the L/H Side of the Range. | | | | | | |
| 51 | 4522411 | Rack Guide 26D | 2 | 2 | 4 | | | |
| 52 | 4522408 | Oven Rack 26W x 26D | 1 | 1 | 2 | | | |
| 53 | 4524992 | Oven Hearth 26W x 26D - Enamelled | 1 | 1 | 2 | | | |
| 54 | 4525550 | Baffle Pan Right Hand 26"W | 1 | 1 | 2 | | | |
| 55 | 4525549 | Baffle Pan Left Hand 26"W | 1 | 1 | 2 | | | |
| 56 | 4522990 | Corner Column Left | 1 | 1 | 1 | | | |
| 57 | 4522993 | Center Column | 1 | 1 | 1 | | | |
| 58 | 4522991 | Corner Column Right | 1 | 1 | 1 | | | |
| 59 | F298 | Bolt 10-24 X 3/8" Long Shoulder Truss Head | 4 | 4 | 8 | | | |
| 60 | 4525054 | 60" Valve Panel - Standard (10 Open Top Burners) - FF | 1 | 1 | 1 | | | |
| | 4525286 | 60" Valve Panel - 12" Standard & Thermostat Griddle R/H Side - FF | | | | | | |
| | 4525288 | 60" Valve Panel - 12" Standard & Thermostat Griddle L/H Side - FF | | | | | | |
| | 4525290 | 60" Valve Panel - 24" Standard & Thermostat Griddle R/H Side - FF | | | | | | |
| | 4525292 | 60" Valve Panel - 24" Standard & Thermostat Griddle L/H Side - FF | | | | | | |
| | 4525056 | 60" Valve Panel - 36" Standard & Thermostat Griddle R/H Side - FF | | | | | | |
| | 4525058 | 60" Valve Panel - 36" Standard & Thermostat Griddle L/H Side - FF | | | | | | |
| 61 | 4523198 | 60" Plate Rail | 1 | 1 | 1 | | | |
| 62 | 4524519 | Garland Valve Panel End Cap Left - FF | 1 | 1 | 1 | | | |
| 63 | 4524520 | Garland Valve Panel End Cap Right - FF | 1 | 1 | 1 | | | |
| 64 | 4523299 | Burner Box Filler - FF | 2 | 2 | 2 | | | |
| 65 | 4522564 | Manifold Assembly (without Fittings) | 1 | 1 | 1 | | | |
| 65A | 4527205 | 60" Manifold Assembly (Australia Units Only) | 1 | 1 | 1 | | | |
| 66 | ***4525049*** | ***CE Regulator - Natural Gas 4.5" WC (1" Regulator)*** | 1 | 1 | 1 | | | C |
| | ***4525050*** | ***CE Regulator - Propane Gas 10" WC (1" Regulator)*** | | | | | | C |
| 67 | G02352-1 | 90 Deg Elbow 3/8" Pipe to 7/16" Tube | 1 | 1 | 2 | | | |
| 68 | G02251-1 | Pressure Test Spigot | 1 | 1 | 1 | | | |
| 69 | 2203400 | 1/8" NPT Pipe Plug | 2 | 2 | | | | |
| 70 | 4523142 | .187 Dia Tubing SIT Valve to Oven Pilot - Oven on the Left | 1 | | 1 | | | |
| 70A | 4527220 | SIT Pilot Tube Connection | | | | | | |
| 71 | 4523180 | .187 Dia Tubing SIT Valve to Oven Pilot - Oven on the Right | | 1 | 1 | | | |
| 72 | 4523243 | .437 Dia Tubing SIT Valve to Oven Orifice Fitting - Oven on the Left | 1 | | 1 | | | |
| 73 | 4523982 | .437 Dia Tubing SIT Valve to Oven Orifice Fitting - Oven on the Right | | 1 | 1 | | | |
| 74 | 4522774 | Air Shield Pilot 26W | 1 | 1 | 2 | | | |
| 75 | 4522773 | Air Shield Solid 26W | 1 | 1 | 2 | | | |
| 76 | 4523031 | Capillary Guard 26W | 1 | 1 | 2 | | | |
| 77 | 4523030 | Bulb Guard | 1 | 1 | 2 | | | |
| 78 | 4523194 | Rail Support Bracket | 2 | 2 | 2 | | | |
| 79 | 1082700 | Harness Ring | 2 | 2 | 4 | | | |
| 80 | 4522400 | Trunion Bracket | 2 | 2 | 4 | | | |
| 81 | 4523087 | Grate Support Rail | 3 | 3 | 3 | | | |
| 82 | 4523069 | 36" Drip Angle | 2 | 2 | 2 | | | |
| 83 | 4523186 | 24" Drip Angle | 2 | 2 | 2 | | | |
| 84 | 1005104 | Flue Collar | 1 | 1 | 2 | | | |
| 85 | 4522996 | Tie Strap Front | 1 | 1 | 1 | | | |
| 86 | 4522995 | Tie Strap Top | 1 | 1 | 1 | | | |
| 87 | 4524632 | Support Veneer Back Standard Oven (Optional) | 1 | 1 | 1 | | | |
| 88 | 4524630 | Veneer Back S/S - 60" Standard Oven (Optional) | 1 | 1 | 1 | | | |
| 93A | 4523536 | 6" Caster Package 3/4-10 Mount (Optional) | 1 | 1 | 1 | | | |
| 93B | 4523547 | Adjustable Caster Package 3/4-10 Mount (Optional) | | | | | | |
| 94 | 4522417 | 6" Caster (3/4-10 Mount) W/O Brake | 2 | 2 | 2 | | | |
| | 4525597 | Adjustable Caster (3/4-10 Mount) W/O Brake | | | | | | |
| 95 | 4522916 | 6" Caster (3/4-10 Mount) With Brake | 2 | 2 | 2 | | | |
| | 4525598 | Adjustable Caster (3/4-10 Mount) With Brake | | | | | | |
| 96 | 4526157 | Caster Washer - one per caster<br>Used from serial #0901100100838 | 4 | 4 | 4 | 20-Jan-09 | | |
| 97 | 4526325 | Caster Washer Kit (4 washers included) | 1 | 1 | 1 | | | |
| 98A | 4526323 | Adjustable Caster Package (included item 93B & 97) | 1 | 1 | 1 | | | |
| 98B | 4526324 | 6" Caster package (included item 93A & 97) | | | | | | |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

## GARLAND PARTS IDENTIFICATION


### GARLAND 60" GFE SERIES RESTAURANT RANGE STANDARD OVEN VIEW SECTION

| ITEM | PART # | DESCRIPTION | Oven Left | Oven Right | Double Oven | From | Up To | Critical |
|---|---|---|---|---|---|---|---|---|
| 105 | 4524966 | Spark Ignition Box Cover | 1 | 1 | 1 | | | |
| 106 | 4524965 | Spark Ignition Box | 1 | 1 | 1 | | | |
| 107 | 1028500 | Connector 3/8" 90Deg. | 1 | 1 | 1 | | | |
| 108 | ***4527834*** | ***Momentary Switch Push Button*** | 1 | 1 | 1 | | | C |
| 109 | 3064800 | Decorative Dress Nut APEM#A540 | 1 | 1 | 1 | | | |
| 110 | ***2200213*** | ***90" High Tension Wire Leads*** | 1 | 1 | 2 | | | C |
| 111 | ***G03883R*** | ***Thermoflex Insulating Sleeve (sold by the Ft.) 81" required*** | 1 | 1 | 2 | | | C |
| 115 | 4523398 | Power Cord 6' 3/14GA 15Amp SJ00W | 1 | 1 | 1 | | | |
| 116 | G01497-1 | BX Connector Straight 3/8" | 1 | 1 | 1 | | | |
| 117 | 2573800 | Terminal Box Cover | 1 | 1 | 1 | | | |
| 118 | 2573700 | Terminal Box | 1 | 1 | 1 | | | |
| 119 | ***4514749*** | ***Spark Generator 230V - 4 Outlets***<br>***Note: 1 outlet required for each pilot*** | | | 3 | | | C |
| | ***4514750*** | ***Spark Generator 120V - 4 Outlets***<br>***Note: 1 outlet required for each pilot*** | | | 3 | | | C |
| 120 | 4516898 | Insulator Plate (for Spark Generator) | | | 3 | | | |
| 121 | 2566500 | Spark Generator Housing | 1 | 1 | 1 | | | |
| 122 | 2566600 | Spark Box Cover | 1 | 1 | 1 | | | |
| 123 | 2570400 | Divider | 1 | 1 | 1 | | | |
| 125 | 3050401 | Miniature Terminal Block Assy 3P | 1 | 1 | 1 | | | |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

# GARLAND 36" GFE SERIES RESTAURANT RANGE
## CONVECTION OVEN (RC) VIEW SECTION




GFE36RC Oven Section

# GARLAND PARTS IDENTIFICATION

## GARLAND 36" GFE SERIES RESTAURANT RANGE CONVECTION OVEN (RC) VIEW SECTION

| ITEM | PART # | DESCRIPTION | QTY | From | Up To | Critical |
|---|---|---|---|---|---|---|
| 1A | 4523068 | 36" Main Channel - Front | 1 | | | |
| 1B | 4525530 | 36" Main Channel - Rear | 1 | | | |
| 2 | 4522764 | Body Side Lt/Rt | 2 | | | |
| 3 | 4522931 | Main Back 36" RC Oven | 1 | | | |
| 4 | 4522930 | Flue Riser RC Oven | 1 | | | |
| 5 | 4525074 | 6" Adjustable Leg S/S | 4 | | | |
| 6 | ***2200700*** | ***Pilot R/H #0.145.010 (Mounted on L/H Side of Burner)*** <br> ***More Details on Page 33*** | 1 | | | C |
| 7 | 4525285 | G/U Oven Pilot Shield L/H (Used for 2200700 Pilot R/H) | 1 | | | |
| 10 | ***2200706*** | ***Thermocouple Retaining Nut*** | 1 | | | C |
| 11 | 4524677 | Pilot Bracket - Garland/USR | | | | |
| 12 | 2200704 | 3/16" Compression Nut - Oven Pilot | 1 | | | C |
| 13 | 2200705 | 3/16" Ferrule - Oven Pilot | 1 | | | C |
| 14 | ***4523506*** | ***Thermocouple Oven 60"*** | 1 | | | C |
| 15 | 4522763 | Oven Burner Rest | 1 | | | |
| 16 | 2512200 | Burner Hold Down Bracket | 1 | | | |
| 17 | ***2200702*** | ***Pilot Orifice #32 Natural Gas*** | 1 | | | C |
| | ***2200703*** | ***Pilot Orifice #23 Propane*** | 1 | | | C |
| | | **Non CE and CE Export** | | | | |
| 19A | ***M9-30*** | ***Large Orifice # 30 Natural Gas (G20)*** | 1 | | | C |
| | ***M9-50*** | ***Large Orifice # 50 Propane (G31)*** | 1 | | | C |
| | ***M9-30*** | ***Large Orifice # 30 Natural Gas (G20) - Australia*** | 1 | | | C |
| | ***M9-51*** | ***Large Orifice # 51 Propane (G31) - Australia*** | 1 | | | C |
| | | | | | | |
| 19B | ***14155XX*** | ***Oven Orifice Fitting (without orifice)*** | 1 | | | C |
| 19C | ***1415530F*** | ***Oven Orifice Fitting w/#30 Hood - Nat*** | 1 | | | C |
| | ***1415550F*** | ***Oven Orifice Fitting w/#50 Hood - Propane Gas*** | 1 | | | C |
| | ***1415551F*** | ***Oven Orifice Fitting w/#51 Hood - Propane Gas (G31) Australia*** | 1 | | | C |
| 20 | 4522781 | Orifice Bracket Oven | 1 | | | |
| 21 | 4525464 | H - Burner With Air Shutter Assembly (Partially Ported) | 1 | | | |
| 22 | 2512100 | Oven Burner Air Shutter | 1 | | | |
| 23 | 1014901 | Cast Iron H-Burner (Partially Ported) | 1 | | | |
| 25 | 4525151 | Garland 26W Oven Door Assembly | 1 | | | |
| 26 | 4522769 | Door Frame Assembly 26W | 1 | | | |
| 27 | 1082500 | Oven Door Trunion | 2 | | | |
| 28 | 4522737 | Oven Door Panel 26W (with holes) | 1 | | | |
| 29 | 4522397 | Garland Logo | 1 | | | |
| 30 | 4522377 | Oven Door Liner 26W | 1 | | | |
| 31 | 4522407 | Door Handle End Insulator | 2 | | | |
| 32 | 4522404 | Door Handle End - Garland | 2 | | | |
| 33 | 4522644 | Door Handle Garland 36" 1.250 dia. | 1 | | | |
| 34 | 4524808 | Hinge RC Door Switch | 1 | | | |
| 35 | 1082802 | Hinge Link Rt | 1 | | | C |
| 36 | 1082803 | Hinge Link Lt | 1 | | | C |
| 37 | 4522772 | Bell Crank Assembly | 2 | | | |
| 38 | F299 | Bolt 1/4-20x1/2" Bell Crank | 2 | | | |
| 39 | 4522818 | Bell Crank Support Bracket | 2 | | | |
| 40 | 1005800 | Oven Door Spring - Garland | 2 | | | C |
| 41 | 4523497 | 6" Long J-Bolt (F598) | 1 | | | C |
| 42 | 4526109 | Door Spring ADJ Bracket | 1 | | | |
| 43 | 4522770 | Kick Panel 26W | 1 | | | |
| 45 | ***4526237*** | ***Knob Assembly - Oven Sit Deg F (FF-Series)*** | 1 | | | C |
| | ***4526238*** | ***Knob Assembly - Oven Sit Deg C (FF-Series)*** | | | | C |
| 55 | 4523081 | ES Shield Mount | 1 | | | |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

# GARLAND PARTS IDENTIFICATION

## GARLAND 36" GFE SERIES RESTAURANT RANGE CONVECTION OVEN (RC) VIEW SECTION

| ITEM | PART # | DESCRIPTION | QTY | From | Up To | Critical |
|---|---|---|---|---|---|---|
| 56 | ***4523006*** | ***SIT Oven Control*** | 1 | | | C |
| 57 | 1095499 | Straight Connector 7/16 | 2 | | | |
| 58 | 4523079 | ES Shield Rt | 1 | | | |
| 59 | 4523080 | SIT Lt Shield | 1 | | | |
| 60 | 4524545 | SIT Top Shield (Flame Failure Models) | 1 | | | |
| 61 | 4524549 | Tube - Sit To Manifold (Flame Failure Models) | 1 | | | |
| 62 | 4522413 | Rack Guide RC Oven | 2 | | | |
| 63 | 4522409 | Oven Rack 26W x 22D | 1 | | | |
| 64 | 4524459 | Fire Plate RC Oven | 1 | | | |
| 65 | 4522950 | Fire Plate Support Bracket Assembly | 1 | | | |
| 66 | 1412300 | Vent Slide | 1 | | | |
| 67 | 1412400 | Vent Slide Housing | 13 | | | |
| 68 | 4522766 | Corner Column Rt 36" | 1 | | | |
| 69 | 4522765 | Corner Column Lt 36" | 1 | | | |
| 70 | F298 | Bolt 10-24 x 3/8 Long Shoulder Truss HD | 2 | | | |
| 75 | 4524420 | 36" Valve Panel - Standard RC Version - FF | 1 | | | |
| | 4524426 | 36" Valve Panel - 12" Standard & Thermostat Griddle L/H Side RC Version - FF | 1 | | | |
| | 4524429 | 36" Valve Panel - 12" Standard & Thermostat Griddle R/H Side RC Version - FF | 1 | | | |
| | 4525250 | 36" Valve Panel - 24" Thermostat Griddle R/H Side RC Version - FF | 1 | | | |
| | 4525252 | 36" Valve Panel - 24" Standard & Thermostat Griddle L/H Side RC Version - FF | 1 | | | |
| | 4525254 | 36" Valve Panel - 36" Standard & Thermostat Griddle RC Version - FF | 1 | | | |
| 76 | 4523072 | 36" Plate Rail | 1 | | | |
| 77 | 4524519 | Garland Valve Panel End Cap - Left - FF | 1 | | | |
| 78 | 4524520 | Garland Valve Panel End Cap - Right - FF | 1 | | | |
| 79 | 4523299 | Burner Box Filler - FF | 2 | | | |
| 80 | 4522562 | Manifold Assembly - 36" (without Fitting) | 1 | | | |
| 80A | 4527203 | 36" Manifold Assembly (Australia Units Only) | 1 | | | |
| 81 | ***3018200*** | ***CE Regulator - Natural Gas 4.5" WC (3/4" Regulator)*** | 1 | | | **C** |
| | ***3018201*** | ***CE Regulator - Propane Gas 10" WC (3/4" Regulator)*** | 1 | | | **C** |
| 82 | G02352-1 | 90 Deg Elbow 9/8" Pipe - 7/16" Tube | 1 | | | |
| 83 | G02251-1 | Pressure Test Spigot | 1 | | | |
| 84 | 2203400 | 1/8" NPT Pipe Plug | 2 | | | |
| 85 | 4523142 | .187 Dia Tubing - Sit Valve to Oven Pilot | 1 | | | |
| 85A | 4527220 | SIT Pilot Tube Connection | 1 | | | |
| 86 | 4523143 | .437 Dia Tubing - Valve to Oven Orifice Fitting | 1 | | | |
| 87 | 4522774 | Air Shield Pilot 26W | 1 | | | |
| 88 | 4522773 | Air Shield Solid 26W | 1 | | | |
| 90 | 4523031 | Capillary Guard 26W Standard Oven | 1 | | | |
| 91 | 4523030 | Bulb Guard Standard Oven | 1 | | | |
| 92 | 4523194 | Rail Support Bracket | 1 | | | |
| 93 | 1082700 | Harness Ring | 2 | | | |
| 94 | 4522400 | Trunion Bracket | 2 | | | |
| 95 | 4523087 | Grate Support Rail | 2 | | | |
| 96 | 4523069 | 36" Drip Angle | 2 | | | |
| 97 | 4512234 | Burner Support Track | 1 | | | |
| 98 | G01503-16 | 1/4-20 x 1.750" Long Weld Stud | 1 | | | |
| 99 | 4522932 | Door Switch Cover | 1 | | | |
| 100 | 1019600 | RC Door Switch | 1 | | | C |
| 103 | 1358900 | RC Switch (Power Switch on/off/on) | 1 | | | C |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

# GARLAND PARTS IDENTIFICATION


## GARLAND 36" GFE SERIES RESTAURANT RANGE CONVECTION OVEN (RC) VIEW SECTION

| ITEM | PART # | DESCRIPTION | QTY | From | Up To | Critical |
|---|---|---|---|---|---|---|
| 104 | 4524317 | RC Extension Box - C | 1 | | | |
| 105 | 4523222 | RC Switch Box | 1 | | | |
| 107 | 4524280 | Wire Channel | 1 | | | |
| 108 | ***4515043*** | ***RC Motor Assembly 120v*** | 1 | | | C |
| 109 | ***2485801*** | ***RC Motor 1/3HP, 115V, 60Hz*** | 1 | | | C |
| | ***2485800*** | ***RC Motor 1/3HP, 208/240V, 50/60Hz*** | 1 | | | C |
| 110 | G01503-3 | 1/4-20 Ohio Nut | 8 | | | |
| 111 | 3013301 | Motor Mount Pocket | 1 | | | |
| 112 | 1669101 | Motor Pocket Insulation Board | 1 | | | |
| 113 | 3013401 | Motor Mount Plate | 1 | | | |
| 114 | 02952-01P | Blower Wheel Assembly (Plated) | 1 | | | |
| 115 | 1361298 | Bracket Air Baffle Support<br>Units Manufactured up-to Jan 23/09, Require Kit Item # 117 | 2 | | 23-Jan-09 | |
| 115A | 4526160 | Air Baffle Support Bracket Assy with Cage Nuts | 2 | 24-Jan-09 | | |
| 116 | 4525267 | Air Baffle<br>Units Manufactured up-to Jan 23/09, Require Kit Item # 117 | 1 | | 23-Jan-09 | |
| 116A | 4526161 | Air Baffle | 1 | 24-Jan-09 | | |
| 117 | 4526164 | RC Air Baffle Kit (includes Items 115A & 116A)<br>This Kit can be used before or after Jan 23/09. | 1 | | | |
| 118 | 2520100 | Fan Protector Screen | 1 | | | |
| 119 | 3050401 | Miniature Terminal Block Assy 3-P | 1 | | | |
| 120 | 4523398 | Power Cord/Plug 6Ft 3/4GA / 15Amp / SJ00W | 1 | | | |
| 121A | 4523536 | 6" Caster Package (Optional) | 1 | | | |
| 121B | 4523547 | Adjustable Caster Package (Optional) | 1 | | | |
| 122 | 4522417 | 6" Caster (3/4-10 Mount) W/O Brake | 2 | | | |
| | 4525597 | 6" Adjustable Caster (3/4-10 Mount) W/O Brake | 2 | | | |
| 123 | 4522916 | 6" Caster (3/4-10 Mount) With Brake | 2 | | | |
| | 4525598 | 6" Adjustable Caster (3/4-10 Mount) With Brake | 2 | | | |
| 124 | 4526157 | Caster Washer - one per caster<br>Used from serial #0901100100838 | 4 | 20-Jan-09 | | |
| 125 | 4526325 | Caster Washer Kit (4 washers included) | 1 | | | |
| 126A | 4526323 | Adjustable Caster Package (included item 121B & 125) | 1 | | | |
| 126B | 4526324 | 6" Caster package (included item 121A & 125) | | | | |
| 127 | 2573800 | Terminal Box Cover | 1 | | | |
| 128 | 2573700 | Terminal Box | 1 | | | |
| 129 | G01497-1 | BX Connector Straight 3/8" | 1 | | | |
| 130 | ***4514749*** | ***Spark Generator 230V - 4 Outlets***<br>***Note: 1 outlet required for each pilot*** | 2 | | | C |
| | ***4514750*** | ***Spark Generator 120V - 4 Outlets***<br>***Note: 1 outlet required for each pilot*** | 2 | | | C |
| 131 | 4516898 | Insulator Plate (for Spark Generator) | 2 | | | |
| 135 | 4524966 | Spark Ignition Box Cover | 1 | | | |
| 136 | 4524965 | Spark Ignition Box | 1 | | | |
| 137 | 1028500 | Connector 3/8" 90Deg. | 1 | | | |
| 138 | ***4527834*** | ***Momentary Switch Push Button*** | 1 | | | C |
| 139 | 3064800 | Decorative Dress Nut APEM#A540 | 1 | | | |
| 140 | ***2200213*** | ***90" High Tension Wire Leads*** | 1 | | | C |
| 141 | ***G03883R*** | ***Thermoflex Insulating Sleeve (sold by the Ft.) 81" required*** | 1 | | | C |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

# GARLAND 60" GFE SERIES RESTAURANT RANGE
## CONVECTION OVEN (RC) VIEW SECTION




GFE60RC Oven Section

## GARLAND PARTS IDENTIFICATION

### GARLAND 60" GFE SERIES RESTAURANT RANGE CONVECTION OVEN (RC) VIEW SECTION

| ITEM | PART # | DESCRIPTION | RC Left | RC Right | Double RC | From | Up To | Critical |
|---|---|---|---|---|---|---|---|---|
| 1A | 4523068 | 36" Main Channel - Front | 1 | 1 | 1 | | | |
| 1B | 4525530 | 36" Main Channel - Rear | 1 | 1 | 1 | | | |
| 2A | 4523184 | 24" Main Channel - Front | 1 | 1 | 1 | | | |
| 2B | 4525529 | 24" Main Channel - Rear | 1 | 1 | 1 | | | |
| 3 | 4522764 | Body Side Lt/Rt | 2 | 2 | 2 | | | |
| 4 | 4523025 | Main Back - Std Oven Rt, RC Oven Lt | 1 | | | | | |
| | 4523026 | Main Back - Std Oven Lt, RC Oven Rt | | 1 | | | | |
| | 4523024 | Main Back - 2 RC Ovens | | | 1 | | | |
| 5 | 4522930 | Flue Riser RC Oven | 1 | 1 | 2 | | | |
| 6 | 4525074 | 6" Adjustable Leg S/S | 4 | 4 | 4 | | | |
| 7 | ***2200700*** | ***Pilot R/H #0.145.010 - Oven on the Left (Mounted on L/H Side of Burner)*** | 1 | | 1 | | | C |
| | | ***More Details on Page 33*** | | | | | | |
| | ***2200701*** | ***Pilot L/H #0.145.007 - Oven on the Right (Mounted on R/H Side of Burner)*** | | 1 | 1 | | | C |
| | | ***More Details on Page 37*** | | | | | | |
| 8 | 4525285 | G/U Oven Pilot Shield L/H (Used for 2200700 Pilot R/H) | 1 | | 1 | | | |
| 9 | 4525300 | G/U Oven Pilot Shield R/H (Used for 2200701 Pilot L/H) | | 1 | 1 | | | |
| 11 | ***2200706*** | ***Thermocouple Retaining Nut*** | 1 | 1 | 2 | | | C |
| 12 | 4524677 | Pilot Bracket - Garland/USR | 1 | 1 | 2 | | | |
| 13 | 2200704 | 3/16" Compression Nut - Oven Pilot | 1 | 1 | 2 | | | C |
| 14 | 2200705 | 3/16" Ferrule - Oven Pilot | 1 | 1 | 2 | | | C |
| 15 | ***4523506*** | ***Thermocouple Oven 60"*** | 1 | 1 | 2 | | | C |
| 16 | 4522763 | Oven Burner Rest | 1 | 1 | 2 | | | |
| 17 | 2512200 | Burner Hold Down Bracket | 1 | 1 | 2 | | | |
| 18 | ***2200702*** | ***Pilot Orifice #32 Natural Gas*** | 1 | 1 | 2 | | | C |
| | ***2200703*** | ***Pilot Orifice #23 Propane*** | | | | | | |
| | | **Non CE and CE Export** | | | | | | |
| 19A | ***M9-30*** | ***Large Orifice # 30 Natural Gas (G20)*** | 1 | 1 | 2 | | | C |
| | ***M9-50*** | ***Large Orifice # 50 Propane (G31)*** | | | | | | C |
| | ***M9-30*** | ***Large Orifice # 30 Natural Gas (G20) - Australia*** | 1 | 1 | 2 | | | C |
| | ***M9-51*** | ***Large Orifice # 51 Propane (G31) - Australia*** | 1 | 1 | 2 | | | C |
| | | | | | | | | |
| 19B | ***14155XX*** | ***Oven Orifice Fitting (without orifice)*** | 1 | 1 | 2 | | | C |
| 19C | ***1415530F*** | ***Oven Orifice Fitting w/#30 Hood - Nat*** | 1 | 1 | 2 | | | C |
| | ***1415550F*** | ***Oven Orifice Fitting w/#50 Hood - Propane Gas*** | | | | | | C |
| | ***1415551F*** | ***Oven Orifice Fitting w/#51 Hood - Propane Gas (G31) Australia*** | 1 | 1 | 2 | | | C |
| 21 | 4522781 | Orifice Bracket Oven | 1 | 1 | 2 | | | |
| 22 | 4525464 | H - Burner With Air Shutter Assembly (Partially Ported) | 1 | 1 | 2 | | | |
| 23 | 2512100 | Oven Burner Air Shutter | 1 | 1 | 2 | | | |
| 24 | 1014901 | Cast Iron H-Burner (Partially Ported) | 1 | 1 | 2 | | | |
| 25 | 4512234 | Burner Support Track | 1 | 1 | 2 | | | |
| 26 | 4525151 | Garland 26W Door Assembly | 1 | 1 | 2 | | | |
| 27 | 4522769 | Door Frame Assembly 26W | 1 | 1 | 2 | | | |
| 28 | 1082500 | Oven Door Trunion | 2 | 2 | 4 | | | |
| 29 | 4522737 | Oven Door Panel 26W (with holes) | 1 | 1 | 2 | | | |
| 30 | 4522397 | Garland Logo | 1 | 1 | 2 | | | |
| 31 | 4522377 | Oven Door Liner 26W | 1 | 1 | 2 | | | |
| 32 | 4522407 | Door Handle End Insulator | 2 | 2 | 4 | | | |
| 33 | 4522404 | Door Handle End - Garland | 2 | 2 | 4 | | | |
| 34 | 4522644 | Door Handle Garland 36" 1.250 dia. | 1 | 1 | 2 | | | |
| 35 | 1082802 | Hinge Link Rt | 1 | 1 | 2 | | | C |
| 36 | 1082803 | Hinge Link Lt | 1 | 1 | 2 | | | C |
| 37 | 4522772 | Bell Crank Assembly | 2 | 2 | 4 | | | |
| 38 | F299 | Bolt 1/4-20x1/2" Bell Crank | 2 | 2 | 4 | | | |
| 39 | 4522818 | Bell Crank Support Bracket | 2 | 2 | 4 | | | |
| 40 | 1005800 | Oven Door Spring - Garland | 2 | 2 | 4 | | | C |
| 41 | 4523497 | 6" Long J-Bolt (F598) | 1 | 1 | 2 | | | C |
| 42 | 4526109 | Door Spring ADJ Bracket | 1 | 1 | 2 | | | |
| 45 | 1019600 | RC Door Switch | 1 | 1 | 2 | | | |
| 46 | 4522932 | Door Switch Cover | 1 | 1 | 2 | | | |
| 47 | G01503-16 | 1/4-20 x 1.750" Long Weld Stud | 1 | 1 | 2 | | | |
| 48 | F86 | 1/4-20 Lock Nut | 1 | 1 | 2 | | | |
| 49 | 4524808 | Hinge - RC Door Switch | 1 | 1 | 2 | | | |
| 50 | F599 | #6-32 x 1.5" Machine screw | 1 | 1 | 2 | | | |
| 51 | F590 | #6-32 K-Lock Nut | 2 | 2 | 4 | | | |
| 52 | 4522770 | Kick Panel 26W | 1 | 1 | 2 | | | |
| 53 | ***4526237*** | ***Knob Assembly - Oven Sit Deg F (FF-Series)*** | 1 | 1 | 2 | | | C |
| | ***4526238*** | ***Knob Assembly - Oven Sit Deg C (FF-Series)*** | | | | | | C |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

## GARLAND PARTS IDENTIFICATION

### GARLAND 60" GFE SERIES RESTAURANT RANGE CONVECTION OVEN (RC) VIEW SECTION

| ITEM | PART # | DESCRIPTION | RC Left | RC Right | Double RC | From | Up To | Critical |
|---|---|---|---|---|---|---|---|---|
| 54 | 4523081 | SIT Shield Mount | 1 | 1 | 2 | | | |
| 55 | ***4523006*** | ***SIT Oven Control*** | 1 | 1 | 2 | | | C |
| 56 | 1095499 | Straight Connector 7/16 | 2 | 2 | 4 | | | |
| 57 | 4523079 | SIT Shield Rt | 1 | 1 | 2 | | | |
| 58 | 4523080 | SIT Shield Lt | 1 | 1 | 2 | | | |
| 59 | 4524545 | SIT Top Shield (Flame Failure Models) | 1 | 1 | 2 | | | |
| 60 | 4524549 | Tube - Sit To Manifold (Flame Failure Models) | 1 | 1 | 2 | | | |
| 61 | 4522413 | Rack Guide RC Oven | 2 | 2 | 4 | | | |
| 62 | 4522409 | Oven Rack 26W x 22D | 3 | 3 | 6 | | | |
| 63 | 4524459 | Fire Plate RC Oven | 1 | 1 | 2 | | | |
| 64 | 4522950 | Fire Plate Support Bracket Assembly | 1 | 1 | 2 | | | |
| 65 | 1412300 | Vent Slide | 1 | 1 | 2 | | | |
| 66 | 1412400 | Vent Slide Housing | 1 | 1 | 2 | | | |
| 67 | 4522991 | Corner Column Rt | 1 | 1 | 1 | | | |
| 68 | 4522990 | Corner Column Lt | 1 | 1 | 1 | | | |
| 69 | 4522993 | Center Column | 1 | 1 | 1 | | | |
| 70 | F298 | Bolt 10-24 x 3/8 Long Shoulder Truss HD | 4 | 4 | 8 | | | |
| 71 | 4523198 | 60" Plate Rail | 1 | 1 | 1 | | | |
| 72 | 4524519 | Garland Valve Panel End Cap - Left - FF | 1 | 1 | 1 | | | |
| 73 | 4524520 | Garland Valve Panel End Cap - Right - FF | 1 | 1 | 1 | | | |
| 74 | 4523299 | Burner Box Filler - FF | 2 | 2 | 2 | | | |
| 75 | 4522562 | Manifold Assembly - 36" (without Fitting) | 1 | 1 | 1 | | | |
| 75A | 4527205 | 60" Manifold Assembly (Australia Units Only) | 1 | 1 | 1 | | | |
| 76 | ***3018200*** | ***CE Regulator - Natural Gas 4.5" WC (3/4" Regulator)*** | 1 | 1 | 1 | | | C |
| | ***3018201*** | ***CE Regulator - Propane Gas 10" WC (3/4" Regulator)*** | | | | | | C |
| 77 | G02352-1 | 90 Deg Elbow 3/8" Pipe - 7/16" Tube | 1 | 1 | 2 | | | |
| 78 | G02251-1 | Pressure Test Spigot | 1 | 1 | 1 | | | |
| 79 | 2203400 | 1/8" NPT Pipe Plug | 2 | 2 | | | | |
| 80 | 4523142 | .187 Dia Tubing SIT Valve to Oven Pilot - Oven on the Left | 1 | | 1 | | | |
| 80A | 4527220 | SIT Pilot Tube Connection | | | | | | |
| 81 | 4523180 | .187 Dia Tubing SIT Valve to Oven Pilot - Oven on the Right | | 1 | 1 | | | |
| 82 | 4523243 | .437 Dia Tubing SIT Valve to Oven Orifice Fitting - Oven on the Left | 1 | | 1 | | | |
| 83 | 4523982 | .437 Dia Tubing SIT Valve to Oven Orifice Fitting - Oven on the Right | | 1 | 1 | | | |
| 84 | 4522774 | Air Shield Pilot 26W | 1 | 1 | 2 | | | |
| 85 | 4522773 | Air Shield Solid 26W | 1 | 1 | 2 | | | |
| 86 | 4523031 | Capillary Guard 26W Standard Oven | 1 | 1 | 2 | | | |
| 87 | 4523030 | Bulb Guard Standard Oven | 1 | 1 | 2 | | | |
| 88 | 4523194 | Rail Support Bracket | 2 | 2 | 2 | | | |
| 89 | 1082700 | Harness Ring | 2 | 2 | 4 | | | |
| 90 | 4522400 | Trunion Bracket | 2 | 2 | 4 | | | |
| 91 | 4525055 | 60" Valve Panel - RC Version (10 Open Top Burners) - FF | 1 | 1 | 1 | | | |
| | 4525287 | 60" Valve Panel - 12" Standard & Thermostat Griddle R/H Side RC Version - FF | | | | | | |
| | 4525289 | 60" Valve Panel - 12" Standard & Thermostat Griddle L/H Side RC Version - FF | | | | | | |
| | 4525291 | 60" Valve Panel - 24" Thermostat Griddle R/H Side RC Version - FF | | | | | | |
| | 4525293 | 60" Valve Panel - 24" Thermostat Griddle L/H Side RC Version - FF | | | | | | |
| | 4525057 | 60" Valve Panel - 36" Standard & Thermostat Griddle R/H Side RC Version - FF | | | | | | |
| | 4525059 | 60" Valve Panel - 36" Thermostat Griddle L/H Side RC Version - FF | | | | | | |
| 92 | 4523087 | Grate Support Rail | 3 | 3 | 3 | | | |
| 93 | 4523069 | 36" Drip Angle | 2 | 2 | 2 | | | |
| 94 | 4523186 | 24" Drip Angle | 2 | 2 | 2 | | | |
| 95 | 1358900 | RC Switch (Power Switch on/off/on) | 1 | 1 | 2 | | | |
| 96 | 4524317 | RC Extension Box - C | 1 | 1 | | | | |
| | 4524316 | RC Extengion Box - CC | | | 1 | | | |
| 97 | 4523222 | RC Switch Box | 1 | 1 | 1 | | | |
| 98 | 4524280 | Wire Channel | 1 | 1 | 1 | | | |
| 99 | ***4515043*** | ***RC Motor Assembly 120V*** | 1 | 1 | 2 | | | C |
| 100 | ***2485801*** | ***RC Motor 1/3HP, 115V, 60Hz*** | 1 | 1 | 2 | | | C |
| | ***2485800*** | ***RC Motor 1/3HP, 208/240V, 50/60Hz*** | | | | | | |
| 101 | G01503-1 | 1/4-20 Ohio Nut | 8 | 8 | 16 | | | |
| 102 | 3013301 | Motor Mount Pocket | 1 | 1 | 2 | | | |
| 103 | 1669101 | Motor Pocket Insulation Board | 1 | 1 | 2 | | | |
| 104 | 3013401 | Motor Mount Plate | 1 | 1 | 2 | | | |
| 105 | G02952-01P | Blower Wheel Assembly (Plated) | 1 | 1 | 2 | | | |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

## GARLAND PARTS IDENTIFICATION


### GARLAND 60" GFE SERIES RESTAURANT RANGE CONVECTION OVEN (RC) VIEW SECTION

| ITEM | PART # | DESCRIPTION | RC Left | RC Right | Double RC | From | Up To | Critical |
|---|---|---|---|---|---|---|---|---|
| 106 | 1361298 | Bracket Air Baffle Support<br>Units Manufactured up-to Jan 23/09, Require Kit Item # 107B | 2 | 2 | 4 | | 23-Jan-09 | |
| 106A | 4526160 | Air Baffle Support Bracket Assy with Cage Nuts | 2 | 2 | 4 | 24-Jan-09 | | |
| 107 | 4525267 | Air Baffle<br>Units Manufactured up-to Jan 23/09, Require Kit Item # 107B | 1 | 1 | 2 | | 23-Jan-09 | |
| 107A | 4526161 | Air Baffle | 1 | 1 | 2 | 24-Jan-09 | | |
| 107B | 4526164 | RC Air Baffle Kit (includes Items 106A & 107A)<br>This Kit can be used before or after Jan 23/09. | 1 | 1 | 2 | | | |
| 108 | 2520100 | Fan Protector Screen | 1 | 1 | 2 | | | |
| 109 | 2519700 | Motor Guard | 1 | 1 | 2 | | | |
| 112 | 4523027 | Retention Bracket 60" RC Oven | 1 | 1 | 2 | | | |
| 114 | 4524629 | Extension RC S/S Veneer Back (Optional) | 2 | 2 | 2 | | | |
| 115 | 4524631 | Veneer Back S/S 60" RC Oven (Optional) | 1 | 1 | 1 | | | |
| 116 | 4524633 | Veneer Support - 60" RC Oven (Optional) | 1 | 1 | 1 | | | |
| 117 | F95 | Pal Nut | 2 | 2 | 4 | | | |
| 118 | 4522996 | Tie Strap Front | 1 | 1 | 1 | | | |
| 119 | 4522995 | Tie Strap Top | 1 | 1 | 1 | | | |
| 120 | 4523398 | Power Cord/Plug 6Ft 3/4GA / 15Amp / SJ00W | 1 | 1 | 2 | | | |
| 121A | 4523536 | 6" Caster Package (Optional) | 1 | 1 | 1 | | | |
| 121B | 4523547 | Adjustable Caster Package (Optional) | | | | | | |
| 122 | 4522417 | 6" Caster (3/4-10 Mount) W/O Brake | 2 | 2 | 2 | | | |
| | 4525597 | 6" Adjustable Caster (3/4-10 Mount) W/O Brake | | | | | | |
| 123 | 4522916 | 6" Caster (3/4-10 Mount) With Brake | 2 | 2 | 2 | | | |
| | 4525598 | 6" Adjustable Caster (3/4-10 Mount) With Brake | | | | | | |
| 124 | 4526157 | Caster Washer - one per caster | 4 | 4 | 4 | 20-Jan-09 | | |
| | | Used from serial #0901100100838 | | | | | | |
| 125 | 4526325 | Caster Washer Kit (4 washers included) | 1 | 1 | 1 | | | |
| 126A | 4526323 | Adjustable Caster Package (included item 121B & 125) | 1 | 1 | 1 | | | |
| 126B | 4526324 | 6" Caster package (included item 121A & 125) | | | | | | |
| 130 | 2573800 | Terminal Box Cover | 1 | 1 | 1 | | | |
| 131 | 2573700 | Terminal Box | 1 | 1 | 1 | | | |
| 132 | ***4514749*** | ***Spark Generator 230V - 4 Outlets***<br>***Note: 1 outlet required for each pilot*** | | | 3 | | | C |
| | ***4514750*** | ***Spark Generator 120V - 4 Outlets***<br>***Note: 1 outlet required for each pilot*** | | | 3 | | | C |
| 133 | 4516898 | Insulator Plate (for Spark Generator) | | | 3 | | | |
| 134 | 2566500 | Spark Generator Housing | 1 | 1 | 1 | | | |
| 135 | 2566600 | Spark Box Cover | 1 | 1 | 1 | | | |
| 136 | 2570400 | Divider | 1 | 1 | 1 | | | |
| 137 | 3050401 | Miniature Terminal Block Assy 3P | 1 | 1 | 1 | | | |
| 138 | G01497-1 | BX Connector Straight 3/8" | 1 | 1 | 1 | | | |
| 140 | 4524966 | Spark Ignition Box Cover | 1 | 1 | 1 | | | |
| 141 | 4524965 | Spark Ignition Box | 1 | 1 | 1 | | | |
| 142 | 1028500 | Connector 3/8" 90Deg. | 1 | 1 | 1 | | | |
| 143 | ***4527834*** | ***Momentary Switch Push Button*** | 1 | 1 | 1 | | | C |
| 144 | 3064800 | Decorative Dress Nut APEM#A540 | 1 | 1 | 1 | | | |
| 145 | ***2200213*** | ***90" High Tension Wire Leads*** | 1 | 1 | 2 | | | C |
| 146 | ***G03883R*** | ***Thermoflex Insulating Sleeve (sold by the Ft.) 81" required*** | 1 | 1 | 2 | | | C |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

# GARLAND GFE OPEN TOP BURNERS
## VIEW SECTION VIEW 12" SECTION



# GARLAND PARTS IDENTIFICATION


## GARLAND GFE SERIES RESTAURANT RANGE - OPEN TOP BURNERS VIEW SECTION

| ITEM | PART # | DESCRIPTION | 12" Open Top Section | 24" Open Top Section | 36" Open Top Section | 48" Open Top Section | 60" Open Top Section | Critical |
|---|---|---|---|---|---|---|---|---|
| 1 | 4522264 | Dual Housing Base Assembly | 1 | 2 | 3 | 4 | 5 | |
| 2 | 4522265 | Dual Venturi Housing | 1 | 2 | 3 | 4 | 5 | |
| 3 | 4522266 | Air Shutter - Open Top | 2 | 4 | 6 | 8 | 10 | |
| 4 | F43 | 10-24 x 3/8" Hex Washer Head Screw | 2 | 4 | 6 | 8 | 10 | |
| 5 | 4524584 | Open Top Burner Rest - Flame Failure | 1 | 2 | 3 | 4 | 5 | |
| 6 | 4522270 | Star Burner Head - Garland | 2 | 4 | 6 | 8 | 10 | |
| 7 | 4523696 | Garland Top Grate | 2 | 4 | 6 | 8 | 10 | |
| 8 | 2200194 | Flame Failure Valve Assembly | 2 | 4 | 6 | 8 | 10 | C |
| 9 | 4524371 | Flame Failure Valve Mounting Block | 2 | 4 | 6 | 8 | 10 | |
| 10 | 4524442 | 1/8" NPT Hex Pipe Nipple | 2 | 4 | 6 | 8 | 10 | |
| 11 | 076050-80 | Elbow Comp. 1/4T x 1/8P | 2 | 4 | 6 | 8 | 10 | |
| 12 | G03674-2 | Valve - Pilot 3/16" angle 90deg. | 2 | 4 | 6 | 8 | 10 | |
| 13 | 4523158 | .250 Tubing - FF Valve | 2 | 4 | 6 | 8 | 10 | |
| 14 | 4523444 | Open Top Tubing Front - FF | 2 | 4 | 6 | 8 | 10 | |
| 15 | 4523445 | Open Top Tubing Rear - FF | 2 | 4 | 6 | 8 | 10 | |
| 16 | 4523288 | FF - Sit Pilot Saddle | 2 | 4 | 6 | 8 | 10 | |
| 17 | ***4523505*** | ***18" Thermocouple - Sit 0290084*** | 2 | 4 | 6 | 8 | 10 | C |
| | | **Non CE and CE Export** | | | | | | |
| 18 | ***M8-2.6mm*** | ***Open Top Orifice Natural Gas #2.6mm (G20)*** | 2 | 4 | 6 | 8 | 10 | C |
| | ***M8-52*** | ***Open Top Orifice Propane Gas #52 (G31)*** | 2 | 4 | 6 | 8 | 10 | C |
| | ***M8-37*** | ***Open Top Orifice Natural Gas #37 (G20) Australia*** | 2 | 4 | 6 | 8 | 10 | C |
| | ***M8-53*** | ***Open Top Orifice Propane Gas #53 (G31) Australia*** | 2 | 4 | 6 | 8 | 10 | C |
| | | | | | | | | |
| 19 | 4522401 | Crumb Tray | 1 | 2 | 3 | 4 | 5 | |
| 20A | 4522402 | Crumb Tray Trim | 1 | 2 | 3 | 4 | 5 | |
| 20B | F554 | Rivet .125 in dia SS | 2 | 4 | 6 | 8 | 10 | |
| 21 | CK4523334 | Crumb Tray Assembly | 1 | 2 | 3 | 4 | 5 | |
| 22 | ***4526695*** | ***OT/HT Knob Assembly GF/GFE Series*** | 2 | 4 | 6 | 8 | 10 | C |
| 30 | ***2520800*** | ***Open Burner Pilot - FF*** | 2 | 4 | 6 | 8 | 10 | C |
| 31 | ***2520801*** | ***Orifice Pilot 51 (Natural)*** | 2 | 4 | 6 | 8 | 10 | C |
| | ***2520802*** | ***Orifice Pilot 30 (Propane)*** | 2 | 4 | 6 | 8 | 10 | C |
| 32 | ***2520804*** | ***Sleeve 3/16"COMP #0.957.025*** | 2 | 4 | 6 | 8 | 10 | C |
| 33 | ***2200704*** | ***3/16" Compression Nut*** | 2 | 4 | 6 | 8 | 10 | C |
| 34 | ***2200706*** | ***Nut Thermo Retaining*** | 2 | 4 | 6 | 8 | 10 | C |
| 35 | ***2200212*** | ***45" High Tension Wire Lead*** | 2 | 4 | 6 | 8 | 10 | C |
| 36 | ***G03883R*** | ***Thermoflex Insulating Sleeve<br>Note: 4' Feet Required Per Electrode*** | 2 | 4 | 6 | 8 | 10 | C |
| 37 | ***2200708*** | ***Electrode #0.915.025*** | 2 | 4 | 6 | 8 | 10 | C |
| 38 | ***2200707*** | ***Nut Electrode #0.974.144*** | 2 | 4 | 6 | 8 | 10 | C |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

# GARLAND GFE SERIES RESTAURANT RANGE
## HI/LOW GRIDDLE TOP VIEW 12" SECTION




GFEHi-Low Griddle

# GARLAND PARTS IDENTIFICATION

## GARLAND GFE SERIES RESTAURANT RANGE - HI / LOW GRIDDLE TOP VIEW SECTION

| ITEM | PART # | DESCRIPTION | 12" Griddle | 24" Griddle | 36" Griddle Right | 36" Griddle Left | From | Up To | Critical |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 4525514 | Hot Top / Griddle Burner Box | 1 | 2 | 3 | 3 | | | |
| 2 | 4524158 | Griddle / Hot Box Patch | | 1 | 2 | 2 | | | |
| 3A | 4524326 | 12" Chute Rear Plate | 1 | | | | | | |
| 3B | 4524325 | 12" Grease Chute Funnel | 1 | | | | | | |
| 4A | 4523219 | Grease Chute Rear Plate | | 1 | 1 | 1 | | | |
| 4B | 4523218 | Grease Chute Funnel | | 1 | 1 | 1 | | | |
| 5 | 4523217 | Grease Drawer Handle | | 1 | 1 | 1 | | | |
| 6 | 4523221 | Grease Drawer Shield | | 1 | 1 | 1 | | | |
| 7 | 4523493 | Grease Drawer Assembly | | 1 | 1 | 1 | | | |
| 8 | 1014901 | Cast Iron H-Burner (Partially Ported) | 1 | 2 | 3 | 3 | | | |
| 9 | 1028002 | Air Shutter - Hot Top / Griddle | 1 | 2 | 3 | 3 | | | |
| 10 | 4525463 | H-Burner W/Shutter Assembly (Partially Ported) | 1 | 2 | 3 | 3 | | | |
| | | **Non CE and CE Export** | | | | | | | |
| 11 | ***M8-46*** | ***Griddle Orifice Natural Gas #46 (G20)*** | 1 | 2 | 3 | 3 | | | C |
| | ***M8-1.3mm*** | ***Griddle Orifice Propane Gas #1.3mm (G31)*** | 1 | 2 | 3 | 3 | | | C |
| | ***M8-47*** | ***Griddle Orifice Small - Natural Gas #47 (G20) Australia*** | 1 | 2 | 3 | 3 | | | C |
| | ***M8-1.2mm*** | ***Griddle Orifice Small - Propane Gas #1.2mm (G31) Australia*** | 1 | 2 | 3 | 3 | | | C |
| | | | | | | | | | |
| 12 | 4524416 | False Trim 6"<br>(Only Used on 60" Units W/48" Griddle Left) | | | | | | | |
| | 4524414 | False Trim 12"<br>(Only Used on 48" Units W/36" Griddle Left & 60" Units W/48 Griddle Left.) | | | | | | | |
| | 4523552 | False Trim 16" | | 1 | | 1 | | | |
| | 4523690 | False Trim 17"<br>(Only Used on 36" Units W/24" Griddle Right) | | | | | | | |
| | 4524412 | False Trim 18" | | | | | | | |
| | 4523528 | False Trim 28"<br>(Used on 36" Units W/36" Griddle, 60" Units W/60" Griddle & 60" Unit W/36 Griddle Left ) | | | 1 | 1 | | | |
| | 4523516 | False Trim 29"<br>(Used only for 48"&60" Range Models w/36" Griddles Right) | | | 1 | | | | |
| 13 | 4523519 | False Trim Bracket | | 2 | 2 | 2 | | | |
| 14 | 4525515 | Burner Side Deflector | 2 | 4 | 6 | 6 | | | |
| 15 | 4523418 | Rear Griddle Splash Guard - 12" | 1 | | | | | | |
| | 4523419 | Rear Griddle Splash Guard - 24" | | 1 | | | | | |
| | 4523420 | Rear Griddle Splash Guard - 36" | | | 1 | 1 | | | |
| 16 | 4523235 | 12" Griddle Assembly | 1 | | | | | | |
| | 4523234 | 24" Griddle Assembly | | 1 | | | | | |
| | 4523781 | 24" Griddle Assembly (Fully Grooved) | | 1 | | | | | |
| | 4523782 | 24" Griddle Assembly (Right Grooved) | | 1 | | | | | |
| | 4523783 | 24" Griddle Assembly (Left Grooved) | | 1 | | | | | |
| | 4523931 | 36" Griddle Assembly - Middle Chute<br>(Used only on 48" unit w/36" Griddle on Left) | | | | 1 | | | |
| | 4523932 | 36" Griddle Assembly - Middle Chute - Fully Grooved<br>(Used only on 48" unit w/36" Griddle on Left) | | | | 1 | | | |
| | 4523933 | 36" Griddle Assembly - Middle Chute - Right Grooved<br>(Used only on 48" unit w/36" Griddle on Left) | | | | 1 | | | |
| | 4523934 | 36" Griddle Assembly - Middle Chute - Left Grooved<br>(Used only on 48" unit w/36" Griddle on Left) | | | | 1 | | | |
| | 4523236 | 36" Griddle Assembly | | | 1 | 1 | | | |
| | 4523784 | 36" Griddle Assembly (Fully Grooved) | | | 1 | 1 | | | |
| | 4523785 | 36" Griddle Assembly (Right Grooved) | | | 1 | 1 | | | |
| | 4523786 | 36" Griddle Assembly (Left Grooved) | | | 1 | 1 | | | |
| 17 | 4525503 | Sit Pilot Bracket | 1 | 2 | 3 | 3 | | | |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***


## GARLAND PARTS IDENTIFICATION

### GARLAND GFE SERIES RESTAURANT RANGE - HI / LOW GRIDDLE TOP VIEW SECTION

| ITEM | PART # | DESCRIPTION | 12" Griddle | 24" Griddle | 36" Griddle Right | 36" Griddle Left | From | Up To | Critical |
|---|---|---|---|---|---|---|---|---|---|
| 18 | ***2200701*** | ***Pilot Lt #0.145.007***<br>***More Details on Page 37*** | 1 | 2 | 3 | 3 | | | C |
| 19 | ***2200702*** | ***Pilot Orifice #32 Natural Gas*** | 1 | 2 | 3 | 3 | | | C |
| | ***2200703*** | ***Pilot Orifice #23 Propane Gas*** | 1 | 2 | 3 | 3 | | | C |
| 20 | 2200705 | 3/16" Ferrule - Pilot | 1 | 2 | 3 | 3 | | | |
| 21 | 2200704 | 3/16" Compression Nut - Pilot | 1 | 2 | 3 | 3 | | | |
| 22 | 4527389 | Orifice Bracket FF Std Grid | 1 | 2 | 3 | 3 | | | |
| 23 | 4525333 | 3/16 SS Flex Tube 13 Long | 1 | 2 | 3 | 3 | | | |
| 24 | ***G02486XX*** | ***Orifice Fitting*** | 1 | 2 | 3 | 3 | | | C |
| 25 | ***2200194*** | ***Flame Failure Valve Assembly*** | 1 | 2 | 3 | 3 | | | C |
| 26A | 4521446 | 1/4" Flex Tubing 12" Long (Valve to Orifice Fitting) | 1 | 2 | 3 | 3 | | 21-Jan-10 | |
| | | **IMPORTANT NOTE:** Production switched from 12" Flex Tubing to 6" as of Jan-22-2010.<br>The 12" Flex tubing **would not be required** as the 6" flex tubing length would be a sufficient length for this installation. | | | | | | | |
| 26B | 4525331 | 1/4 S/S Flex Tubing 6"Long (Valve to Orifice Fitting)<br>Used From 22-January-2010 | 1 | 2 | 3 | 3 | 22-Jan-10 | | |
| 27 | ***4526695*** | ***Knob Assembly*** | 1 | 2 | 3 | 3 | | | C |
| 28 | G03674-2 | Valve Pilot 3/16" 90deg | 1 | 2 | 3 | 3 | | | |
| 29 | 2198102 | 10mm Valve Connector | 1 | 2 | 3 | 3 | | | |
| 30 | 1086000 | 1/8"NPT Adapter | 1 | 2 | 3 | 3 | | | |
| 34 | 4522401 | Crumb Tray | 1 | | | | | | |
| 35A | 4522402 | Crumb Tray Trim | 1 | | | | | | |
| 35B | F554 | Rivet .125 in dia SS | 2 | | | | | | |
| 36 | CK4523334 | Crumb Tray Assembly | 1 | | | | | | |
| 37 | 4525512 | Griddle Box Heat Shield | 1 | 2 | 3 | 3 | | | |
| 38 | ***4523505*** | ***Thermocouple 18" (SIT 0290084)*** | 1 | 2 | 3 | 3 | | | C |
| 40 | ***2200212*** | ***45" High Tension Wire Lead*** | 1 | 2 | 3 | 3 | | | C |
| 41 | G03883R | Thermo Flex Insulating Sleeve (4' required for each electrode) | | | | | | | |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***





**2200700 PILOT R/H**

| Item | Part # | Description | Qty |
|---|---|---|---|
| R1 | 2200700 | Pilot Right Hand | 1 |
| R3 | 2200702 | Pilot Orifice #32 (Natural) | 1 |
| | 2200703 | Pilot Orifice #23 (Propane) | 1 |
| | 2200709 | Pilot Orifice #40 (Manufactured) | 1 |
| R4 | 2200704 | 3/16" Comperssion Nut | 1 |
| R5 | 2200705 | Olive 3/*16" Ball Sleeve | 1 |
| R6 | 2200706 | Nut Thermo Retaining | 1 |
| R7 | 2200707 | Nut Electro | 1 |
| R8 | 2200708 | Electro | 1 |

2200700 Pilot

# GARLAND 60" GFE RESTAURANT RANGE HI/LOW
# RAISED GRIDDLE BROILER VIEW SECTION




GFE Raised Griddle Broiler

# GARLAND PARTS IDENTIFICATION

## GARLAND 60" GFE RESTAURANT RANGE - RAISED GRIDDLE BROILER VIEW SECTION

| ITEM | PART # | DESCRIPTION | QTY | Critical |
|---|---|---|---|---|
| 1A | 4523068 | 36" Main Channel - Front | 1 | |
| 1B | 4525530 | 36" Main Channel - Rear | 1 | |
| 2 | 4523069 | 36" Drip Angle | 2 | |
| 3 | 4523087 | Grate Support Rail | 2 | |
| 4 | 4523194 | Rail Support Bracket | 1 | |
| 5 | 4524650 | Deflector Crumb Tray | 1 | |
| 7 | 4523820 | RGB Front Channel | 1 | |
| 8 | 4524642 | RGB Front Griddle Seal | 1 | |
| 9 | 4524038 | RGB Griddle Assembly | 1 | |
| 10 | 4523419 | 24" Rear Griddle Splash Guard | 1 | |
| 11 | 4523829 | RGB Back Liner | 1 | |
| 12 | 4523826 | RGB Side Liner Air Shield | 1 | |
| 13 | 4523819 | RGB Rack Stop Angle | 1 | |
| 14 | 4523810 | RGB Side Skin Right | 1 | |
| 15 | 4522764 | Body Side Lt/Rt | 1 | |
| 16 | 4523243 | .437 Dia Tubing SIT Valve to Oven Orifice Fitting - Oven on the Left | 1 | |
| 17 | 4523142 | .187 Dia Tubing SIT Valve to Oven Pilot - Oven on the Left | 1 | |
| 17A | 4527220 | SIT Pilot Tube Connection | 1 | |
| 18 | 4524797 | .437 Dia Tubing SIT Valve to Oven RGB - Oven on the Right | 1 | |
| 19 | 4524798 | .187 Dia Tubing SIT Valve to Oven Pilot RGB - Oven on the Right | 1 | |
| 20 | 4523824 | RGB Grease Chute Front | 1 | |
| 21 | 4523825 | RGB Grease Chute Rear | 1 | |
| 22 | N/A | RGB Grease Chute Assembly | 1 | |
| 23 | 4524649 | RGB Grease Drawer Assembly | 1 | |
| 24 | 4523812 | Grease Drawer Handle | 1 | |
| 25 | 1091000 | Ceramic Radiant RGB | 8 | |
| 26 | 4524643 | RGB Ceramic Support Lt/Rt | 2 | |
| 27 | 4524711 | Garland/US Range RGB Valve Panel End Cap Right Long | 1 | |
| 28 | 4524712 | Garland/US Range RGB Valve Panel End Cap Left | 1 | |
| 29 | 4524713 | RGB Valve Panel Side Shield | 1 | |
| 30 | 4523804 | RGB Burner Box Filler Right | 1 | |
| 31 | 4523807 | RGB FF Valve Panel - GF | 1 | |
| 32 | 4515934 | 2.5" Carriage Bolt S/S | 2 | |
| 33 | 4521619 | RGB Front Rail Bar | 1 | |
| 34 | 3038601 | RGB Front Rail Bar Spacer S/S | 2 | |
| 35 | 4524638 | Garland/US Range RGB Plate Rail | 1 | |
| 36 | 4523872 | Broiler Box Shield - FF | 1 | |
| 37 | 4525511 | Burner Support FF - RGB | 3 | |
| 38 | 4523801 | Pilot Tube Bracket | 2 | |
| 39 | 4519967 | Light Tube | 1 | |
| 40 | 4525332 | 3/16" S/S Flex Tubing 17" Long | 1 | |
| 42 | 1086597 | 3/16" Pilot Gum Valve | 1 | |
| 43 | 4524520 | G/U Valve Panel FF End Cap Right | 1 | |
| 44 | 4524519 | Garland/USR Valve Panel FF End Cap Left | 1 | |
| 45 | 4524299 | Burner Box Filler - FF | | |
| 46 | 4525015 | 36" - RGB FF Main Valve Panel | 1 | |
| | 4525016 | 36" - RGB FF Main Valve Panel - RC Version | | |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***


# GARLAND PARTS IDENTIFICATION

## GARLAND 60" GFE RESTAURANT RANGE - RAISED GRIDDLE BROILER VIEW SECTION

| ITEM | PART # | DESCRIPTION | QTY | Critical |
|---|---|---|---|---|
| 47 | 4522402 | Crumb Tray Trim S/S | 1 | |
| 48 | 4523519 | False Trim Bracket | 2 | |
| 49 | 4523072 | 36" Plate Rail | 1 | |
| 50 | CK4523828 | RGB Grease Tray Assembly | 1 | |
| 51A | 4523828 | RGB Grease Tray | 1 | |
| 51B | 4523832 | RGB Tray Trim S/S | 1 | |
| 51C | F554 | Rivet .125 in dia SS | 2 | |
| 52 | 4522979 | Manifold Assembly - FF, RGB | 1 | |
| 52A | 4527206 | RGB STD Manifold Assembly (Australia Unit Only) | 1 | |
| 53 | 1028002 | RGB Burner Air Shutter | 3 | |
| 54 | 1090500 | RGB Burner | 3 | |
| 55 | N/A | RGB Burner with Air Shutter Assembly | 3 | |
| 56 | 4523822 | RGB Burner Rest | 1 | |
| 57 | 1090600 | RGB Wire Rack | 1 | |
| 58 | 4524647 | RGB Wire Rack Drip Shield | 1 | |
| 59 | 4523746 | 2.5" Dia Nickel Plated Steel Hole Plug - Storage Base Left | 1 | |
| 60 | | 2.5" Dia Nickel Plated Steel Hole Plug - Storage Base Right | 1 | |
| 61 | 4520720 | 7/16" Flexible Tube | 1 | |
| 63 | ***2200203*** | ***64" High Tension Wire*** | 1 | C |
| 64 | ***G03883R*** | ***Thermoflex Insulating Sleeve (sold by the Ft.) 60" required*** | 1 | C |
| 67 | 4523807 | RGB FF Valve Panel - GF | 1 | |
| 68 | G03674-2 | Valve Pilot 3/16" Angle 90Deg | 3 | |
| 69 | 4525677 | 1/4 NPT x 7/16 Comp. 68-7B | 3 | |
| 70 | 4524811 | Elbow Assy 1/8" x 1/4NPT | 3 | |
| 71 | 2198100 | 12mm Valve Connector | 3 | |
| 72 | 4526111 | Sub-Manifold Inlet Tube | 3 | |
| 73 | 1095499 | Straight Connector | 2 | |
| 74 | 4522981 | Sub-manifold Assy - FF, RGB | 1 | |
| 75 | 4526112 | 1/8" dia Pilot Tube RGB | 1 | |
| 76 | 1086199 | Gum Valve 1/8" | 1 | |
| 77 | 4519966 | Lighter Burner Orifice | 1 | |
| 78 | 4525069 | RGB - FF Flash Tube Orifice Support | 1 | |
| **Non CE and CE Export** | | | | |
| 79 | ***M8-53*** | ***Small Orifice #53 Size Natural Gas (G20)*** | 3 | C |
| | ***M8-61*** | ***Small Orifice #61 Size LPropane Gas (G31)*** | 3 | C |
| | ***M8-47*** | ***Small Orifice #47 Size Natural Gas (G20) Australia*** | 3 | C |
| | ***M8-61*** | ***Small Orifice #61 Size LPropane Gas (G31) Australia*** | 3 | C |
| | | | | |
| 80 | 2706804 | Brass Valve Extension | 3 | |
| 81 | 21045XX | Orifice Fitting | 3 | |
| 82 | ***4526106P*** | ***FF Valve GF Series RGB*** | 3 | C |
| 83 | 4525510 | Pilot Bracket - FF, RGB | 1 | |
| 84 | ***4523505*** | ***18" Thermocouple SIT*** | 1 | C |
| 85 | 3043201 | Hub - Flame Failure | 3 | |
| 86 | F602 | #10-32 UNF x 1/4 Cup PT Set-Screw | 3 | |
| 87 | 3043300 | Spring Retainer | 3 | |
| 88 | 4526696 | ***RGB Knob Assembly GF/GFE Series*** | | C |
| 89 | ***2200700*** | ***Pilot Right Hand***<br>***More Details on Page 33*** | 1 | C |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***





## 2200701 PILOT L/H

| Item | Part # | Description | Qty |
|---|---|---|---|
| L2 | 2200701 | Pilot Left Hand | 1 |
| L3 | 2200702 | Pilot Orifice #32 (Natural) | 1 |
| | 2200703 | Pilot Orifice #23 (Propane) | 1 |
| | 2200709 | Pilot Orifice #40 (Manufactured) | 1 |
| L4 | 2200704 | 3/16" Comperssion Nut | 1 |
| L5 | 2200705 | Olive 3/*16" Ball Sleeve | 1 |
| L6 | 2200706 | Nut Thermo Retaining | 1 |
| L7 | 2200707 | Nut Electro | 1 |
| L8 | 2200708 | Electro | 1 |

2200701 Pilot

# GARLAND GFE SERIES RESTAURANT RANGE
# THERMOSTAT GRIDDLE TOP VIEW SECTION




GFE-T-stat Griddle

# GARLAND PARTS IDENTIFICATION

## GARLAND GFE SERIES RESTAURANT RANGE - THERMOSTAT GRIDDLE TOP VIEW SECTION

| ITEM | PART # | DESCRIPTION | 12" Griddle | 24" Griddle | 36" Griddle Right | 36" Griddle Left | 48" Griddle Right | 48" Griddle Left | 60" Griddle | Critical |
|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 4525514 | Griddle / Hot Top Burner Box | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |
| 2 | 4525463 | H-Burner W/Shutter Assembly (Partially Ported) | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |
| 3 | 1014901 | Cast Iron H-Burner (Partially Ported) | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |
| 4 | 1028002 | Air Shutter - Hot Top / Griddle | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |
| 5 | 4525294 | Grease Drawer Shield | | 1 | 1 | 1 | 2 | 2 | 2 | |
| 6 | ***2200701*** | ***Pilot Lt #0.145.007***<br>***More Details on Page 37*** | 1 | 2 | 3 | 3 | 4 | 4 | 5 | C |
| 7 | 2431900 | Orifice Fitting (Orifice Hood Not Included) | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |
| | | **Non CE and CE Export** | | | | | | | | |
| 8 | ***M8-47*** | ***Griddle Orifice Small - Natural Gas #47 (G20)*** | 1 | 2 | 3 | 3 | 4 | 4 | 5 | C |
| | ***M8-1.3mm*** | ***Griddle Orifice Small - Propane Gas #1.3mm (G31)*** | 1 | 2 | 3 | 3 | 4 | 4 | 5 | C |
| | ***M8-47*** | ***Griddle Orifice Small - Natural Gas #47 (G20) Australia*** | 1 | 2 | 3 | 3 | 4 | 4 | 5 | C |
| | ***M8-1.2mm*** | ***Griddle Orifice Small - Propane Gas #1.2mm (G31) Australia*** | 1 | 2 | 3 | 3 | 4 | 4 | 5 | C |
| | | | | | | | | | | |
| 9 | 4523212 | Thermostat Griddle Orifice Bracket | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |
| 10A | 4524326 | 12" Chute Rear Plate | 1 | | | | | | | |
| 10B | 4524325 | 12" Grease Chute Funnel | 1 | | | | | | | |
| 11A | 4523219 | Grease Chute Rear | | 1 | 1 | 1 | 2 | 2 | 2 | |
| 11B | 4523218 | Grease Chute Funnel | | 1 | 1 | 1 | 2 | 2 | 2 | |
| 12 | 4524158 | Griddle / Hot Box Patch | | 1 | 2 | 2 | 2 | 2 | 3 | |
| 13 | 4525503 | Sit Pilot Bracket | | | | | | | | |
| 14 | ***4523007*** | ***Sit Thermostat Griddle Control - Use 4525399 Thermostat Kit Assembly*** | 1 | 2 | 3 | 3 | 4 | 4 | 5 | C |
| 14A | ***4525399*** | ***Thermostat Griddle Sit Ass'y***<br>***Includes Items # 14,16 & 32*** | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |
| 15 | ***4526698*** | ***T-stat Griddle Knob Assembly Deg F - GF/GFE Series*** | 1 | 2 | 3 | 3 | 4 | 4 | 5 | C |
| | ***4526697*** | ***T-stat Griddle Knob Assembly Deg C - GF/GFE Series*** | 1 | 2 | 3 | 3 | 4 | 4 | 5 | C |
| 16 | 4524358 | Capillary Shield | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |
| 17 | 4524416 | False Trim 6"<br>(Only Used on 60" Units W/48" Griddle Left) | | | | | | 1 | | |
| | 4524414 | False Trim 12"<br>(Only Used on 48" Units W/36" Griddle Left & 60" Units W/48 Griddle Left.) | | | | | | 1 | | |
| | 4523552 | False Trim 16" | | 1 | | | | 1 | | |
| | 4523690 | False Trim 17"<br>(Only Used on 36" Units W/24" Griddle Right) | | | | | 1 | | | |
| | 4524412 | False Trim 18" | | | | | 1 | | 1 | |
| | 4523528 | False Trim 28"<br>(Used on 36" Units W/36" Griddle, 60" Units W/60" Griddle & 60" Unit W/36 Griddle Left ) | | | 1 | 1 | | | 1 | |
| | 4523516 | False Trim 29"<br>Used only for 48"&60" Range Models w/36" Griddles | | | 1 | 1 | | | | |
| 18 | 4523519 | False Trim Bracket | | 2 | 2 | 2 | 4 | 6 | 4 | |
| 19 | 4525512 | Griddle Box Heat Shield | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |
| 22 | 4522401 | Crumb Tray | 1 | | | | | | | |
| 23A | 4522402 | Crumb Tray Trim | 1 | | | | | | | |
| 23B | F554 | Rivet .125 in dia SS | 2 | | | | | | | |
| 24 | CK4523334 | Crumb Tray Assembly | 1 | | | | | | | |
| 25 | 4524546 | Vertical Mounting Bracket | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |
| 26 | 4523493 | Grease Drawer Assembly | | 1 | 1 | 1 | 2 | 2 | 2 | |
| 27 | 4523217 | Grease Drawer Handle | | 1 | 1 | 1 | 2 | 2 | 2 | |
| 28 | 4523064 | Comp. Fitting 3/8T x 1/8P | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |
| 29 | 4525531 | Male 3/8"Tx 3/8" P Straight Con.Versa 68-6C | 2 | 4 | 6 | 6 | 8 | 8 | 10 | |
| 30 | 4523081 | SIT Shield Mount | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***


## GARLAND PARTS IDENTIFICATION

### GARLAND GFE SERIES RESTAURANT RANGE - THERMOSTAT GRIDDLE TOP VIEW SECTION

| ITEM | PART # | DESCRIPTION | 12" Griddle | 24" Griddle | 36" Griddle Right | 36" Griddle Left | 48" Griddle Right | 48" Griddle Left | 60" Griddle | Critical |
|---|---|---|---|---|---|---|---|---|---|---|
| 31 | ***2200702*** | ***Pilot Orifice #32 Natural Gas*** | 1 | 2 | 3 | 3 | 4 | 4 | 5 | C |
| | ***2200703*** | ***Pilot Orifice #23 Propane Gas*** | 1 | 2 | 3 | 3 | 4 | 4 | 5 | C |
| 32 | G03883R | Thermoflex Insulating Sleeve 22"<br>Used for Griddle Stat Capillary | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |
| 35 | 2200704 | 3/16" Compression Nut - Oven Pilot | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |
| 36 | 2200705 | 3/16" Ferrule - Oven Pilot | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |
| 37 | 4523235 | 12" Griddle Assembly | 1 | | | | | | | |
| | 4523234 | 24" Griddle Assembly | | 1 | | | | | | |
| | 4523781 | 24" Griddle Assembly (Fully Grooved) | | 1 | | | | | | |
| | 4523782 | 24" Griddle Assembly (Right Grooved) | | 1 | | | | | | |
| | 4523783 | 24" Griddle Assembly (Left Grooved) | | 1 | | | | | | |
| | 4523931 | 36" Griddle Assembly - Middle Chute<br>(Used only on 48" unit w/36" Griddle on Left) | | | | 1 | | | | |
| | 4523932 | 36" Griddle Assembly - Middle Chute - Fully Grooved<br>(Used only on 48" unit w/36" Griddle on Left) | | | | 1 | | | | |
| | 4523933 | 36" Griddle Assembly - Middle Chute - Right Grooved<br>(Used only on 48" unit w/36" Griddle on Left) | | | | 1 | | | | |
| | 4523934 | 36" Griddle Assembly - Middle Chute - Left Grooved<br>(Used only on 48" unit w/36" Griddle on Left) | | | | 1 | | | | |
| | 4523236 | 36" Griddle Assembly | | | 1 | 1 | | | | |
| | 4523784 | 36" Griddle Assembly (Fully Grooved) | | | 1 | 1 | | | | |
| | 4523785 | 36" Griddle Assembly (Right Grooved) | | | 1 | 1 | | | | |
| | 4523786 | 36" Griddle Assembly (Left Grooved) | | | 1 | 1 | | | | |
| 38 | 4523245 | Bulb Clamp | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |
| 39 | 4523246 | Bulb Shield | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |
| 40 | 4523418 | Rear Griddle Splash Guard - 12" | 1 | | | | | | | |
| | 4523419 | Rear Griddle Splash Guard - 24" | | 1 | | | | | | |
| | 4523420 | Rear Griddle Splash Guard - 36" | | | 1 | 1 | | | | |
| 41 | 4525515 | Burner Side Deflector | 2 | 4 | 6 | 6 | 8 | 8 | 10 | |
| 42 | 4525535 | 3/16 Tubing TG - Sit to Pilot - Flame Failure | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |
| 42A | 4527220 | SIT Pilot Tube Connection | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |
| 43 | 4523409 | 3/8 Flex-Tubing - Manifold to Sit Inlet | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |
| 44 | ***4523505*** | ***Thermocouple Sit - 18" Long*** | 1 | 2 | 3 | 3 | 4 | 4 | 5 | C |
| 45 | 4523409 | 3/8 Flex Tube 10 in - TH Griddle | 1 | 2 | 3 | 3 | 4 | 4 | 5 | |
| 47 | ***2200212*** | ***45" High Tension Wire Lead*** | 1 | 2 | 3 | 3 | 4 | 4 | 5 | C |
| 48 | ***G03883R*** | ***Thermoflex Insulating Sleeve***<br>***Note: 4' Feet Required Per Electrode*** | 1 | 2 | 3 | 3 | 4 | 4 | 5 | C |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***




GFE Hot Top Section

# GARLAND PARTS IDENTIFICATION


## GARLAND GFE SERIES RESTAURANT RANGE - HOT TOP SECTION VIEW


| ITEM | PART # | DESCRIPTION | 12" Hot Top | 24" Hot Top | 36" Hot Top | Critical |
|---|---|---|---|---|---|---|
| 1 | 4525514 | Hot Top / Griddle Burner Box | 1 | 2 | 3 | |
| 2 | 4525463 | H-Burner W/Shutter Assembly (Partially Ported) | 1 | 2 | 3 | |
| 3 | 1014901 | Cast Iron H-Burner (Partially Ported) | 1 | 2 | 3 | |
| 4 | 1028002 | Air Shutter - Hot Top / Griddle | 1 | 2 | 3 | |
| 5 | ***2200701*** | ***Pilot Lt #0.145.007***<br>***More Details on Page 33*** | 1 | 2 | 3 | C |
| 6 | 4525503 | Sit Pilot Bracket - HT/Griddle | 1 | 2 | 3 | C |
| 7 | ***2200194*** | Flame Failure Valve Assembly | 1 | 2 | 3 | |
| **Non CE and CE Export** | | | | | | |
| 8 | ***M8-46*** | ***Hot Top Orifice Natural Gas #46 (G20)*** | 1 | 2 | 3 | C |
| | ***M8-1.3mm*** | ***Hot Top Orifice Propane Gas #1.3mm (G31)*** | 1 | 2 | 3 | C |
| | ***M8-47*** | ***Hot Top Orifice Small - Natural Gas #47 (G20) Australia*** | 1 | 2 | 3 | C |
| | ***M8-1.2mm*** | ***Hot Top Orifice Small - Propane Gas #1.2mm (G31) Australia*** | 1 | 2 | 3 | C |
| | | | | | | |
| 11 | 4524158 | Griddle / Hot Top Box Patch | 1 | 2 | 3 | |
| 16 | ***4526695*** | ***Knob Assembly GF/GFE Series OT/HT*** | 1 | 2 | 3 | C |
| 20 | 4523483 | HT Valve Extension Support Bracket | 1 | 2 | 3 | |
| 21 | 4523148 | Hot Top 12" Assembly | 1 | 2 | 3 | |
| 22 | 4525485 | FF - Hot Top Pilot Tubing | 1 | 2 | 3 | |
| 23 | 4525515 | Burner Side Deflector | 2 | 4 | 6 | |
| 25 | ***2200702*** | ***Pilot Orifice #32 Natural Gas*** | 1 | 2 | 3 | C |
| | ***2200703*** | ***Pilot Orifice #23 Propane Gas*** | 1 | 2 | 3 | C |
| 27 | 2200704 | 3/16" Compression Nut - Oven Pilot | 1 | 2 | 3 | |
| 28 | 2200705 | 3/16" Ferrule - Oven Pilot | 1 | 2 | 3 | |
| 29 | 4522401 | Crumb Tray | 1 | 2 | 3 | |
| 30A | 4522402 | Crumb Tray Trim | 1 | 2 | 3 | |
| 30B | F554 | Rivet .125 in dia SS | 2 | 4 | 6 | |
| 31 | CK4523334 | Crumb Tray Assembly | 1 | 2 | 3 | |
| 32 | 2706802 | Valve Extension 3.250" | | | | |
| 33 | 4524442 | 1/8 NPT Hex Pipe Nipple Versa No 122-A | | | | |
| 34 | 4524371 | FF Valve Mounting Block | | | | |
| 35 | 076050-80 | Elbow Compression 1/4T x 1/8P #69-4A | | | | |
| 36 | 4523158 | .250" Tubing - FF Valve Inlet | | | | |
| 37 | G03674-2 | Valve Pilot 3/16" Angle 90deg | | | | |
| 38 | ***4523505*** | ***Thermocouple 18" (SIT 0290084)*** | 1 | 2 | 3 | C |
| 40 | ***2200212*** | ***45" High Tension Wire Lead*** | 1 | 2 | 3 | C |
| 41 | ***G03883R*** | ***Thermoflex Insulating Sleeve***<br>***Note: 4' Feet Required Per Electrode*** | 1 | 2 | 3 | C |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

# 36" HIGH SHELF VIEW SECTION




GFE 36 HighShelf

# GARLAND PARTS IDENTIFICATION

## GARLAND GFE SERIES RESTAURANT RANGE - 36" HIGH SHELF SECTION VIEW


| ITEM | PART # | DESCRIPTION | QTY | Critical |
|---|---|---|---|---|
| 1 | 4523112 | High Shelf Upright | 1 | |
| 2 | 4523267 | 24" HS Standard Back Panel | 1 | |
| | 4524105 | 24" HS S/S Back Panel | | |
| | 4523111 | 36" HS Standard Back Panel | | |
| | 4523112 | 36" HS S/S Back Panel | | |
| | 4523290 | 48" HS Standard Back Panel | | |
| | 4524106 | 48" HS S/S Back Panel | | |
| | 4523268 | 60" HS Standard Back Panel | | |
| | 4524107 | 60" HS S/S Back Panel | | |
| 3 | 4523289 | 24" HS Front Panel | 1 | |
| | 4523110 | 36" HS Guard Front Panel | | |
| | 4523291 | 48" HS Front Panel | | |
| | 4523264 | 60" HS Std Front Panel | | |
| 4 | 4523293 | 24" Shelf | 1 | |
| | 4523113 | 36" Shelf | | |
| | 4523294 | 48" Shelf | | |
| | 4523270 | 60" Shelf | | |
| 5 | 4524096 | Low Profile Back Guard Upright 6" | 1 | |
| | 4525520 | Low Profile Back Guard Upright 9" | | |
| 6A | **6" Low Profile Backguard - NLA - Review Note Below** | | | |
| | 4523882 | 24" Low Guard Back Panel | 1 | |
| | 4523891 | 24" Low Guard Back Panel - SS | | |
| | 4523883 | 36" Low Guard Back Panel | | |
| | 4523892 | 36" Low Guard Back Panel - SS | | |
| | 4523884 | 48" Low Guard Back Panel | | |
| | 4523893 | 48" Low Guard Back Panel - SS | | |
| | 4523885 | 60" Low Guard Back Panel | | |
| | 4523894 | 60" Low Guard Back Panel - SS | | |
| 6B | **9" Low Profile Backguard** | | | |
| | 4525521 | 24" Low Guard Back Panel | 1 | |
| | 4525522 | 24" Low Guard Back Panel - SS | | |
| | 4525523 | 36" Low Guard Back Panel | | |
| | 4525524 | 36" Low Guard Back Panel - SS | | |
| | 4525525 | 48" Low Guard Back Panel | | |
| | 4525526 | 48" Low Guard Back Panel - SS | | |
| | 4525527 | 60" Low Guard Back Panel | | |
| | 4525528 | 60" Low Guard Back Panel - SS | | |
| 7A | **6" Low Profile Backguard - NLA - Review Note Below** | | | |
| | 4523878 | 24" Low Guard Front Panel | 1 | |
| | 4523879 | 36" Low Guard Front Panel | | |
| | 4523880 | 48" Low Guard Front Panel | | |
| | 4523881 | 60" Low Guard Front Panel | | |
| 7B | **9" Low Profile Backguard** | | | |
| | 4525516 | 24" Low Guard Front Panel | 1 | |
| | 4525517 | 36" Low Guard Front Panel | | |
| | 4525518 | 48" Low Guard Front Panel | | |
| | 4525519 | 60" Low Guard Front Panel | | |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

Note: All 6" Low Profile components are no longer available. Replacement of any 6" Low Profile components would require the complete assembly of the 9" Low Profile Backguard.

# 60" HIGH SHELF VIEW SECTION




GFE 60 HighShelf

# GARLAND PARTS IDENTIFICATION

## GARLAND RGB RESTAURANT RANGE - 60" HIGH SHELF SECTION VIEW

| ITEM | PART # | DESCRIPTION | QTY | Critical |
|---|---|---|---|---|
| 1 | 4523112 | High Shelf Upright | 2 | |
| 2 | 4523268 | 60" HS Back Panel | 1 | |
| | 4524107 | 60" HS Back Panel S/S | | |
| 3 | 4523833 | 60" HS Guard Front Panel RGB | 1 | |
| 4 | 4523270 | 60" Shelf | 1 | |
| 5 | 4524097 | LP Back Guard Upright RGB | 2 | |
| 6 | 4523887 | 60" Low Guard Back Panel RGB | 1 | |
| | 4523895 | 60" Low Guard Back Panel RGB S/S | | |
| 7 | 4523886 | 60" Low Guard Front Panel RGB | 1 | |

* NOT ILLUSTRATED

***RECOMMENDED STOCK PARTS***

# GARLAND PARTS IDENTIFICATION

## GARLAND GFE SERIES RESTAURANT RANGE

## WIRING DIAGRAMS, MANUALS & GAS CONVERSION KITS

| PART # | DESCRIPTION |
|---|---|
| | **Wiring Diagrams** |
| 4525255 | Wire Diagram - GFE (24",36",48" & 60") 120V / 208V / 230V |
| 4525274 | Wire Diagram - GFE 36" / 60" RT Oven - 120V / 208V / 230V |
| 4524980 | Wire Diagram - GFE 60-2RC - 230V |
| 4524979 | Wire Diagram - GFE - 2RC - 120V |
| | |
| | **Manuals** |
| 4525587 | Installation and Operation Manual – Garland “GF/GFE Sentry” Series Gas Restaurant Ranges |
| 4525482 | Backguard Installation Instructions |
| | |
| | **Conversion Kits To** |
| | NON-CE Models |
| 4526170 | Conversion Kit 24" / 36" GF Series Ranges - To Natural Gas NON-CE Models |
| 4526171 | Conversion Kit 48" / 60" GF Series Ranges - To Natural Gas NON-CE Models |
| 4526167 | Conversion Kit 24" / 36" GF Series Ranges - To Propane Gas NON-CE Models |
| 4526168 | Conversion Kit 48" / 60" GF Series Ranges - To Propane Gas NON-CE Models |


| | |
|---|---|
| | CE Models |
| 4526147 | Conversion Kit 24" / 36" GF Series Ranges - To Natural Gas CE Models |
| 4526148 | Conversion Kit 48" / 60" GF Series Ranges - To Natural Gas CE Models |
| 4526145 | Conversion Kit 24" / 36" GF Series Ranges - To Propane Gas – CE Models |
| 4526146 | Conversion Kit 48" / 60" GF Series Ranges - To Propane Gas – CE Models |

ALL THE ABOVE PARTS NOT ILLUSTRATED


***RECOMMENDED STOCK PARTS***




HOT TOP
2388600




GRIDDLE 36"
CENTER BURNER
2388608




GRIDDLE 12"
2388601




GRIDDLE 36"
RIGHT BURNER
2388609




FRONT BURNER
2388602



GRIDDLE 36"
LEFT BURNER
2388607




REAR BURNER
2388602



GRIDDLE 24"
LEFT BURNER
2388605



OVEN
2388612



GRIDDLE 24"
RIGHT BURNER
2388606



SPARK IGNITION
2388604

Overlays

## GARLAND PARTS IDENTIFICATION

**Revision History**

| REV. # | PAGE # | ITEM # | NOTE | DATE |
|---|---|---|---|---|
| 0 | | | Part List Released - GFE Series gas restaurant range | June 4/09 |
| 1 | 4,8,12,16 20,26,30 | | New Drawing | Oct 14/09 |
| | 6,10,14,18 22,27,32 | 68A,85A,70A,85A 80A,17A,42A | New part number added - 4527220 | |
| | 6,10,14,18,22,28 | 63A,80A,65A 80A,75A,52A | New part number added - Manifold Assembly for Australia | |
| | 5,9,13,17.21 | 5,5,6,5,6 | Part number changed for the 6" adjustable Leg S/S - was 4522415, First range manufactured with new Leg is 0905100100177 date 5/11/09. | |
| | 6,11,15,19,23 | 85,99,94,122,122 | Part number changed for the 6" Adjustable Caster (3/4-10 Mount) W/O Brake - was 4523013, First range manufactured with new Leg start date June 08/09. | |
| | | 86,100,95,123,123 | Part number changed for the 6" Adjustable Caster (3/4-10 Mount) With Brake - was 4523014, First range manufactured with new Leg start date June 08/09. | |
| | 19 | 115,116 | Notes & dates added | |
| | | 115A,116A, 117 | New part number added - New Air Baffle it's been introduced on Jan 24/09 replacing the old style, the kit (item 118) can be used for ranges manufactured before and after Jan 24/09. | |
| | | 118 (119) | was item 117 (was item 118) | |
| | 23 | 106,107 | Notes & dates added | |
| | | 106A,107A,107B | New part number added - New Air Baffle it's been introduced on Jan 24/09 replacing the old style, the kit (item 107B) can be used for ranges manufactured before and after Jan 24/09. | |
| | 31 | 17 | Note changed under part number 4523528 | |
| | | | Note added under part numbers 4524416,4524414,4523690 | |
| | 32 | 37 | New part numbers added - 4523931, 4523932, 4523933, 4523934. | |
| 2 | | index | New model inserted - HI / LOW GRIDDLE TOP VIEW SECTION | Nov 27/09 |
| | 26-27-28 | | | |
| | 5,9,17,32 | 6,6,6,89 | description changed - was; More Details on Page 29 | |
| | 13,21,35,39 | 7,7,6,5 | description changed - was; More Details on Page 33 | |
| | 28 | 18 | New description | |
| | 6 | 58 | Description changed - 4524738 was (24" Valve Panel - 12" Thermostat Griddle R/H Side) | |
| | | | Description changed - 4524739 was (24" Valve Panel - 12" Thermostat Griddle L/H Side) | |
| | | | Description changed - 4524741 was (24" Valve Panel - 24" Thermostat Griddle) | |
| | 10 | 75 | Description changed - 4524422 was (36" Valve Panel - 12" Thermostat Griddle R/H Side FF) | |
| | | | Description changed - 4524421 was (36" Valve Panel - 12" Thermostat Griddle L/H Side FF) | |
| | | | Description changed - 4524426 was (36" Valve Panel - 12" Thermostat Griddle Side RC Version - FF) | |
| | | | New part number - 4524429 | |
| | | | Description changed - 4525251 was (36" Valve Panel - 24" Thermostat Griddle L/H Side - FF) | |
| | | | Description changed - 4525252 was (36" Valve Panel - 24" Thermostat Griddle L/H Side RC Version - FF) | |
| | | | Description changed - 4525253 was (36" Valve Panel - 36" Thermostat Griddle - FF) | |
| | | | Description changed - 4525254 was (36" Valve Panel - 36" Thermostat Griddle - RC Version - FF) | |
| | 14 | 60 | Description changed - 4525286 was (60" Valve Panel - 12" Thermostat Griddle R/H Side - FF) | |
| | | | Description changed - 4525287 was (60" Valve Panel - 12" Thermostat Griddle R/H Side RC Version - FF) | |
| | | | Description changed - 4525288 was (60" Valve Panel - 12" Thermostat Griddle L/H Side - FF) | |
| | | | Description changed - 4525289 was (60" Valve Panel - 12" Thermostat Griddle L/H Side RC Version - FF) | |
| | | | Description changed - 4525290 was (60" Valve Panel - 24" Thermostat Griddle R/H Side - FF) | |
| | | | Description changed - 4525292 was (60" Valve Panel - 24" Thermostat Griddle L/H Side - FF) | |
| | | | Description changed - 4525056 was (60" Valve Panel - 36" Thermostat Griddle R/H Side - FF) | |
| | | | Description changed - 4525057 was (60" Valve Panel - 36" Thermostat Griddle R/H Side RC Version - FF) | |
| | | | Description changed - 4525058 was (60" Valve Panel - 36" Thermostat Griddle L/H Side - FF) | |
| | 22 | 91 | Description changed - 4525286 was (60" Valve Panel - 12" Thermostat Griddle R/H Side - FF) | |
| | | | Description changed - 4525288 was (60" Valve Panel - 12" Thermostat Griddle L/H Side - FF) | |
| | | | Description changed - 4525290 was (60" Valve Panel - 24" Thermostat Griddle R/H Side - FF) | |
| | | | Description changed - 4525292 was (60" Valve Panel - 24" Thermostat Griddle L/H Side - FF) | |
| | | | Description changed - 4525056 was (60" Valve Panel - 36" Thermostat Griddle R/H Side - FF) | |
| | | | Description changed - 4525057 was (60" Valve Panel - 36" Thermostat Griddle R/H Side RC Version - FF) | |
| | | | Description changed - 4525058 was (60" Valve Panel - 36" Thermostat Griddle L/H Side - FF) | |
| 3 | 8,9,10,11 | | New Model - Garland 48" GFE Series Restaurant Range 2 Space Saver Standard Oven View Section | March 16/10 |
| | [7,15,19],(23),27 | [108], (138),143 | Part number changed from G03053-1 to 4527834 | |
| | 13,17,21,25 | 42,41,42,42 | Part number changed from 4523085 to 4526109 | |
| | 32 | 26 | was 4521446 (1/4 Flex 12" Long) | |
| | | 26A, 26B | New part numbers added - (From & Up to, date column added), Note added. | |
| | 14,18 | 75,60 | All the RC part number deleted. | |
| | 22 | 75 | New part number inserted | |
| | 26 | 91 | All the non-RC part numbers deleted | |
| 4 | 28,30,34,38,42 | | New drawing | April 16/10 |
| | 29,32,39,43 | 21,36,24,31 | Part number changed from 4523334 to CK4523334 | |
| | 29,32,36,39,43 | 20B,35B,50C, 23B,30B | 2x Rivet .125 in dia SS. New part number added | |
| | 29 | 20A | Item number changed - was 20 | |
| | 32 | 35A | Item number changed - was 35 | |
| | 36 | 50 | Part number added - CK4523828 | |
| | | 51A | Item number changed - was 50 | |
| | | 51B | Item number changed - was 51 | |
| | 39 | 23A | Item number changed - was 23 | |
| | 43 | 30A | Item number changed - was 30 | |


Garland