



208-230-/60/1 (3WIRE WITH NEUTRAL FOR 115V)
L1
N
L2
BK
W
BR
BIN CONTROL
BR
CONTROLLER BOARD
THERMISTOR
K3
FLOAT SW.
K5
MAGNETIC CONTACTOR
A1
A2
B1
B2
L3
T3
L2
T2
L1
T1
A2
A1
B2
B1
8
9
START CAP.
135-155MFD
0
1
2
STARTER
R
GY
RUN CAP
40MFD
S
COMP
C
R
V
K1
O
(DBu)
R
4
6
1
3
5
2
CONTROL SW.
BK
P
V
RELAY
HOTGAS VALVE
(R)
INTER LOCK SW.
K2
WATER VALVE
CAP. 10MFD
R
P
LINE VALVE
(R)
(BK)
PUMP
HI-PRESS.
(Y)
BYPASS CONTROL
O
(R)
BYPASS VALVE
(Y)
(DBu)
A
A
(BR)
TRANSFORMER
BK
W
WIRE COLOR CODE
BR - BROWN
W - WHITE
BK - BLACK
R - RED
O - ORANGE
GY - GRAY
P - PINK
DBu - DARK BLUE
V - VIOLET
Y - YELLOW


208-230/60/1 (3WIRE WITH NEUTRAL FOR 115V)



WIRE COLOR CODE
BR - BROWN
W - WHITE
BK - BLACK
R - RED
O - ORANGE
GY - GRAY
P - PINK
DBu - DARK BLUE
V - VIOLET
Y - YELLOW



WIRE COLOR CODE
BR -BROWN
W -WHITE
BK -BLACK
R -RED
O -ORANGE
GY -GRAY
P -PINK
DBu-DARK BLUE
V -VIOLET
Y -YELLOW



WIRE COLOR CODE
BR - BROWN
W - WHITE
BK - BLACK
R - RED
O - ORANGE
GY - GRAY
P - PINK
DBu - DARK BLUE
V - VIOLET
Y - YELLOW