





L2
BR
208-230/60/1
(3 WIRE WITH NEUTRAL FOR 115V)
MAGNETIC CONTACTOR
13
14
R
33
34
31
32
A1
A2
V
FUSE
10A
BR
CONTROLLER
BOARD
THERMISTOR
K3
W
B
B
BIN CONTROL
SWITCH
15.8K
R
15.8K
K4
FLOAT SW.
K5
145-174MFD
START CAP
STARTER
0
1
5
2
N
W
GY
CAP.
RUN
35MFD
S
R
COMP.
C
BK
(BK)
L1
FAN
CAP
WATER
VALVE
DRAIN
VALVE
KC1
KC2
GY
0
DBu
X1
1
3
5
7
2
4
6
8
R
4
6
1
3
CAP
5
R
10MFD
KA2
KA1
PUMP
(BK)
KA3
HI-
PRESS.
2
P
CONTROL
SW.
BK
KB1
LINE
VALVE
HOTGAS
VALVE
P
KD1
(R)
(Y)
KB3
KD2
(BR)
INTER
LOCK
SW.
R
R
TRANSFORMER
BK
10
9
8
7
6
5
4
3
2
1
K1
1
2
3
K2
WIRE COLOR CODE
BR -BROWN
W -WHITE
BK -BLACK
R -RED
O -ORANGE
GY -GRAY
P -PINK
DBu-DARK BLUE
V -VIOLET
Y -YELLOW
CRANKCASE HEATER
REMOTE CONDENSER UNIT


L2
BR
208-230/60/1
(3 WIRE WITH NEUTRAL FOR 115V)
MAGNETIC CONTACTOR
11
12
R
15
16
A
B
V
FUSE
10A
BR
CONTROLLER
BOARD
THERMISTOR
1
2
3
K3
W
B
B
BIN CONTROL
SWITCH
15.8K
R
15.8K
1
2
3
K4
FLOAT SW.
1
2
3
K5
145-174MFD
START CAP
STARTER
O
1
5
2
N
W
GY
CAP.
RUN
35MFD
S
R
COMP.
BK
(BK)
L1
FAN
CAP
WATER
VALVE
DRAIN
VALVE
KC1
KC2
GY
O
X1
1
3
5
7
2
4
6
8
DBu
R
4
6
1
3
CAP
5
2
R
P
CONTROL
SW.
10MFD
KA2
KA1
PUMP
HI-
PRESS.
(BK)
KA3
BK
KB1
LINE
VALVE
HOTGAS
VALVE
P
KD1
(R)
(Y)
KB3
KD2
INTER
LOCK
SW.
R
R
(BR)
TRANSFORMER
BK
10
9
8
7
6
5
4
3
2
1
K1
1
2
3
K2
WIRE COLOR CODE
BR -BROWN
W -WHITE
BK -BLACK
R -RED
O -ORANGE
GY -GRAY
P -PINK
DBu-DARK BLUE
V -VIOLET
Y -YELLOW
CRANKCASE HEATER
REMOTE CONDENSER UNIT


L2
BR
208-230/60/1
(3 WIRE WITH NEUTRAL FOR 115V)
MAGNETIC CONTACTOR
13
14
33
34
31
32
A1
A2
R
FUSE
10A
BR
CONTROLLER
BOARD
THERMISTOR
K3
W
B
B
BIN CONTROL
SWITCH
15.8K
15.8K
R
K4
FLOAT SW.
K5
145-174MFD
START CAP
STARTER
O
1
5
2
N
W
GY
CAP.
RUN
35MFD
S
R
COMP.
C
L1
V
10
9
8
7
6
5
4
3
2
1
K1
K2
O
DBu
X1
1 3 5 7
2 4 6 8
GY
WATER
VALVE
DRAIN
VALVE
R
4
6
1
3
CAP.
5
2
CONTROL
SW.
P
10MFD
R
PUMP
(BK)
HI-
PRESS.
BK
BK
FAN
W
CAP.
5 MFD
BR
BR
LINE
VALVE
(R)
(Y)
P
HOTGAS
VALVE
(R)
(Y)
INTER
LOCK
SW.
R
R
R
(BR)
TRANSFORMER
BK
ONLY AIR COOLED MODEL
WIRE COLOR CODE
BR -BROWN
W -WHITE
BK -BLACK
R -RED
O -ORANGE
GY -GRAY
P -PINK
DBu-DARK BLUE
V -VIOLET



L2
BR
208-230/60/1
(3 WIRE WITH NEUTRAL FOR 115V)
N
W
L1
MAGNETIC CONTACTOR
11
12
15
16
A
B
R
FUSE
10A
BR
145-174MFD
START CAP
STARTER
O
1
5
2
GY
CAP.
RUN
35MFD
S
R
COMP.
C
V
O
DBu
GY
KC1
KC2
WATER
VALVE
DRAIN
VALVE
X1
1 3 5 7
2 4 6 8
R
4
6
1
3
CAP.
5
2
CONTROL
SW.
P
10MFD
KA2
KA1
R
PUMP
(BK)
KA3
HI-
PRESS.
BK
KB1
FAN
W
CAP.
5 MFD
BR
BR
KB3
HOTGAS
VALVE
P
KD1
(R)
(Y)
KD2
INTER
LOCK
SW.
R
R
(BR)
TRANSFORMER
BK
ONLY AIR COOLED MODEL
CONTROLLER
BOARD
THERMISTOR
K3
W
B
B
BIN CONTROL
SWITCH
15.8K
R
15.8K
K4
FLOAT SW.
K5
10
9
8
7
6
5
4
3
2
1
K1
1
2
3
K2
WIRE COLOR CODE
BR -BROWN
W -WHITE
BK -BLACK
R -RED
O -ORANGE
GY -GRAY
P -PINK
DBu-DARK BLUE
V -VIOLET
Y -YELLOW


L2
BR
208-230/60/1
(3 WIRE WITH NEUTRAL FOR 115V)
N
W
L1
MAGNETIC CONTACTOR
13
14
R
33
34
31
32
A1
A2
V
FUSE
10A
BR
145-174MFD
START CAP
STARTER
O
1
5
2
GY
CAP.
RUN
30MFD
S
R
COMP.
C
BK
(BK)
CRANKCASE HEATER
FAN
CAP
REMOTE CONDENSER UNIT
WATER
VALVE
DRAIN
VALVE
GY
O
DBu
X1
1 3 5 7
2 4 6 8
R
4
6
1
3
CAP
5
R
10MFD
PUMP
(BK)
HI-
PRESS.
2
CONTROL
SW.
P
BK
LINE
VALVE
HOTGAS
VALVE
P
(R)
(Y)
INTER
LOCK
SW.
R
R
(BR)
TRANSFORMER
BK
CONTROLLER
BOARD
THERMISTOR
1
2
3
K3
BIN CONTROL
SWITCH
W
B
B
15.8K
15.8K
R
1
2
3
K4
FLOAT SW.
1
2
3
K5
10
9
8
7
6
5
4
3
2
1
K1
1
2
3
K2
WIRE COLOR CODE
BR -BROWN
W -WHITE
BK -BLACK
R -RED
O -ORANGE
GY -GRAY
P -PINK
DBu-DARK BLUE
V -VIOLET
Y -YELLOW


L2
BR
208-230/60/1
(3 WIRE WITH NEUTRAL FOR 115V)
MAGNETIC CONTACTOR
FUSE
10A
BR
CONTROLLER
BOARD
THERMISTOR
BIN CONTROL
SWITCH
W
B
B
15.8K
R
15.8K
FLOAT SW.
K3
K4
K5
K1
K2
145-174MFD
START CAP
STARTER
11
12
R
15
16
A
B
0
1
5
2
N
W
V
GY
CAP.
RUN
30MFD
S
R
COMP.
C
L1
BK
(BK)
FAN
CAP
0
GY
KC1
KC2
WATER
VALVE
DRAIN
VALVE
X1
1 3 5 7
2 4 6 8
DBu
R
4
6
1
3
CAP.
5
2
CONTROL
SW.
10MFD
KA2
KA1
R
P
PUMP
(BK)
KA3
HI-
PRESS.
BK
KB1
LINE
VALVE
HOTGAS
VALVE
P
KD1
(R)
(Y)
KB3
KD2
INTER
LOCK
SW.
R
R
R
(BR)
TRANSFORMER
BK
CRANKCASE HEATER
REMOTE CONDENSER UNIT
WIRE COLOR CODE
BR -BROWN
W -WHITE
BK -BLACK
R -RED
O -ORANGE
GY -GRAY
P -PINK
DBu-DARK BLUE
V -VIOLET
Y -YELLOW



WIRE COLOR CODE
BR -BROWN
W -WHITE
BK -BLACK
R -RED
O -ORANGE
GY -GRAY
P -PINK
DBu-DARK BLUE
V -VIOLET
Y -YELLOW


L2
BR
208-230/60/1
(3 WIRE WITH NEUTRAL FOR 115V)
MAGNETIC CONTACTOR
FUSE
10A
BR
CONTROLLER
BOARD
THERMISTOR
K3
BIN CONTROL
SWITCH
W
B
B
15.8K
15.8K
R
K4
FLOAT SW.
K5
145-174MFD
START CAP
STARTER
O
R
11
12
15
16
A
B
1
5
2
N
W
V
10
9
8
7
6
5
4
3
2
1
K1
GY
CAP.
RUN
30MFD
S
R
COMP.
C
L1
O
DBu
R
4
6
1
3
CAP.
5
2
CONTROL
SW.
BK
P
KD1
KB1
HOTGAS
VALVE
(R)
(Y)
KD2
INTER
LOCK
SW.
R
R
K2
GY
KC1
X1
1
3
5
7
2
4
6
8
WATER
VALVE
DRAIN
VALVE
KC2
10MFD
KA2
KA1
PUMP
HI-
PRESS.
(BK)
KA3
FAN
W
CAP
5 MFD
BR
BR
KB3
(BR)
TRANSFORMER
BK
ONLY AIR COOLED MODEL
WIRE COLOR CODE
BR -BROWN
W -WHITE
BK -BLACK
R -RED
O -ORANGE
GY -GRAY
P -PINK
DBu-DARK BLUE
V -VIOLET
Y -YELLOW