

SERVICE PARTS LIST FOR MITSUBISHI ELECTRIC PACKAGED AIR-CONDITIONERS

**Series : PUHY-P•T(S)KMU-A(-BS)
PUHY-P•Y(S)KMU-A(-BS)**

For use with the R410A

REVISED

July 2014

BWE1206A

INDEX

**PUHY-P72TKMU-A(-BS)
PUHY-P96TKMU-A(-BS)
PUHY-P120TKMU-A(-BS)
PUHY-P144TKMU-A(-BS)
PUHY-P72YKMU-A(-BS)
PUHY-P96YKMU-A(-BS)
PUHY-P120YKMU-A(-BS)
PUHY-P144YKMU-A(-BS)**

Refer to the next page for the package names.


Part information update day : **2014/07/15**

Please change the old catalog (issued Apr. 2012, No.BWE12060) to this new catalog.
Content of revision : Some of parts are changed.



The Package name list

PUHY-P168TSKMU-A(-BS)	[PUHY-P72TKMU-A(-BS) + PUHY-P96TKMU-A(-BS)]
PUHY-P192TSKMU-A(-BS)	[PUHY-P72TKMU-A(-BS) + PUHY-P120TKMU-A(-BS)]
PUHY-P216TSKMU-A(-BS)	[PUHY-P96TKMU-A(-BS) + PUHY-P120TKMU-A(-BS)]
PUHY-P240TSKMU-A(-BS)	[PUHY-P120TKMU-A(-BS) + PUHY-P120TKMU-A(-BS)]
PUHY-P264TSKMU-A(-BS)	[PUHY-P72TKMU-A(-BS) + PUHY-P72TKMU-A(-BS) + PUHY-P120TKMU-A(-BS)]
PUHY-P288TSKMU-A(-BS)	[PUHY-P72TKMU-A(-BS) + PUHY-P96TKMU-A(-BS) + PUHY-P120TKMU-A(-BS)]
PUHY-P312TSKMU-A(-BS)	[PUHY-P72TKMU-A(-BS) + PUHY-P120TKMU-A(-BS) + PUHY-P120TKMU-A(-BS)]
PUHY-P336TSKMU-A(-BS)	[PUHY-P96TKMU-A(-BS) + PUHY-P120TKMU-A(-BS) + PUHY-P120TKMU-A(-BS)]
PUHY-P360TSKMU-A(-BS)	[PUHY-P96TKMU-A(-BS) + PUHY-P120TKMU-A(-BS) + PUHY-P144TKMU-A(-BS)]
PUHY-P144YSKMU-A(-BS)	[PUHY-P72YKMU-A(-BS) + PUHY-P72YKMU-A(-BS)]
PUHY-P168YSKMU-A(-BS)	[PUHY-P72YKMU-A(-BS) + PUHY-P96YKMU-A(-BS)]
PUHY-P192YSKMU-A(-BS)	[PUHY-P72YKMU-A(-BS) + PUHY-P120YKMU-A(-BS)]
PUHY-P216YSKMU-A(-BS)	[PUHY-P96YKMU-A(-BS) + PUHY-P120YKMU-A(-BS)]
PUHY-P240YSKMU-A(-BS)	[PUHY-P120YKMU-A(-BS) + PUHY-P120YKMU-A(-BS)]
PUHY-P264YSKMU-A(-BS)	[PUHY-P72YKMU-A(-BS) + PUHY-P72YKMU-A(-BS) + PUHY-P120YKMU-A(-BS)]
PUHY-P288YSKMU-A(-BS)	[PUHY-P72YKMU-A(-BS) + PUHY-P96YKMU-A(-BS) + PUHY-P120YKMU-A(-BS)]
PUHY-P312YSKMU-A(-BS)	[PUHY-P72YKMU-A(-BS) + PUHY-P120YKMU-A(-BS) + PUHY-P120YKMU-A(-BS)]
PUHY-P336YSKMU-A(-BS)	[PUHY-P96YKMU-A(-BS) + PUHY-P120YKMU-A(-BS) + PUHY-P120YKMU-A(-BS)]
PUHY-P360YSKMU-A(-BS)	[PUHY-P96YKMU-A(-BS) + PUHY-P120YKMU-A(-BS) + PUHY-P144YKMU-A(-BS)]



*1 PUHY-P72TKMU-A(-BS)...18 WFT Screws (part No.134), PUHY-P72YKMU-A(-BS)...34 WFT Screws (part No.134)


*2 PUHY-P72TKMU-A(-BS)...82 H Screws (part No.135), PUHY-P72YKMU-A(-BS)...87 H Screws (part No.135)

*3 4 WFT Screws (part No.136)

PUHY-P72TKMU-A(-BS)
PUHY-P72YKMU-A(-BS)

EXTERNAL PARTS & BLOWER PARTS (1)

[illegible]



*4 PUHY-P96TKMU-A(-BS)...26 WFT Screws (part No.235), PUHY-P96YKMU-A(-BS)...42 WFT Screws (part No.235)


*5 PUHY-P96TKMU-A(-BS)...86 H Screws (part No.236), PUHY-P96YKMU-A(-BS)...91 H Screws (part No.236)

*6 4 WFT Screws (part No.237)

PUHY-P96TKMU-A(-BS)
PUHY-P96YKMU-A(-BS)

EXTERNAL PARTS & BLOWER PARTS (2)

[illegible]



*7 PUHY-P120,P144TKMU-A(-BS)...36 WFT Screws (part No.346),
PUHY-P120,P144YKMU-A(-BS)...52 WFT Screws (part No.346)

*8 PUHY-P120,P144TKMU-A(-BS)...130 H Screws (part No.347),
PUHY-P120,P144YKMU-A(-BS)...138 H Screws (part No.347)


*9 8 WFT Screws (part No.348)

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change		Spec.	PUHY-P120TKMU-A	PUHY-P120TKMU-A-BS	PUHY-P144TKMU-A	PUHY-P144TKMU-A-BS	PUHY-P120YKMU-A	PUHY-P120YKMU-A-BS	Dwg. No.	Notes for the models	Revision info.
			Part Name										
301	R61 042 661	G	Panel R		1		1		1		KB02A370G03		
302	R61 041 661	G	Panel R	BS		1		1		1	KB02A370G04		
303	R61 206 651	G	Panel L		1		1		1		KB02A369G05		
304	R61 207 651	G	Panel L	BS		1		1		1	KB02A369G06		
305	R61 022 626	G	Pillar assy MF		1		1		1		KD00R845G09		Chg.
306	R61 023 626	G	Pillar assy MF	BS		1		1		1	KD00R845G10		Chg.
307	R61 020 626	G	Pillar MB		1		1		1		KB02J843G01		
308	R61 019 626	G	Pillar MB	BS		1		1		1	KB02J843G02		
309	R61 061 162	G	Frame assy F		1		1		1		KD00L182G03		
310	R61 060 162	G	Frame assy F	BS		1		1		1	KD00L182G05		Chg.
311	R61 085 162	G	Frame assy B		1		1		1		KD00L073G07		
312	R61 086 162	G	Frame assy B	BS		1		1		1	KD00L073G08		
313	R61 071 162	G	Frame assy LR		1		1		1		KD00L021G03		Chg.
314	R61 070 162	G	Frame assy LR	BS		1		1		1	KD00L021G04		Chg.
315	R61 069 162	G	Frame assy L		1		1		1		KD00L149G03		Chg.
316	R61 068 162	G	Frame assy L	BS		1		1		1	KD00L149G04		Chg.
317	R61 003 499	G	Plate HEX assy		1		1		1		KB00T714G01		
318	R61 004 499	G	Plate HEX assy	BS		1		1		1	KB00T714G02		
319	R61 072 162	G	Frame MT		1		1		1		KB02J833H01		
320	R61 073 162	G	Frame MT	BS		1		1		1	KB02J833G01		
321	R63 087 162	G	Frame M assy		1		1		1		KD00L159G09		Chg.
322	R63 088 162	G	Frame M assy	BS		1		1		1	KD00L159G10		Chg.
323	R61 058 162	G	Frame MR		1		1		1		KD02G743H04		
324	R61 059 162	G	Frame MR	BS		1		1		1	KD02G743G02		
325	R61 120 690	G	Piping cover		1		1		1		KB02L912G07		
326	R61 121 690	G	Piping cover	BS		1		1		1	KB02L912G08		
327	R61 212 651	G	Panel FBR		1		1		1		KB02J838H04		Chg.
328	R61 213 651	G	Panel FBR	BS		1		1		1	KB02J838G06		Chg.
329	R61 182 651	G	Panel FBL		1		1		1		KB02J837H02		Chg.
330	R61 183 651	G	Panel FBL	BS		1		1		1	KB02J837G04		Chg.
331	R61 177 651	G	Panel FU		2		2		2		KB02J839H01		
332	R61 178 651	G	Panel FU	BS		2		2		2	KB02J839G02		
333	R61 005 119	G	Bell mouth		2	2	2	2	2	2	KB25A367H03		
334	R61 007 118	G	Fan guard		2	2	2	2	2	2	KB25J857H04		
335	R61 009 669	G	Plate Fan guard		8	8	8	8	8	8	KD02D205H02		
336	R61 010 611	G	Fin guard B		2	2	2	2	2	2	KB07N272G01		
337	R61 016 140	G	Base fan		4		4		4		KD02D026H01		
338	R61 017 140	G	Base fan	BS		4		4		4	KD02D026G03		Chg.
339	R61 166 220	G	Motor	L-920-A-1 T AC200-230-920W	2	2	2	2			P780224X01	208V-230V	
340	R61 167 220	G	Motor	L-920-B4-1 Y AC380-400-920W					2	2	P780225X01	460V	
341	R63 4H6 300	G	Fan		2	2	2	2	2	2	KB25A009H04		Chg.
342	R63 4H6 122	G	Box nut	M12 CH	2	2	2	2	2	2	P552000X01		
343	R61 028 087	G	Upset Screw	M6 × 22	8	8	8	8	8	8	P516049X01		
344	R61 030 260	G	Transformer assy						1		KD00C027G03		
345	R61 031 260	G	Transformer assy	BS						1	KD00C027G04		

7

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change		Spec.	PUHY-P144TKMU-A	PUHY-P144YKMU-A-BS					Dwg. No.	Notes for the models	Revision info.
			Part Name										
301	R61 042 661	G	Panel R		1						KB02A370G03		
302	R61 041 661	G	Panel R	BS		1					KB02A370G04		
303	R61 206 651	G	Panel L		1						KB02A369G05		
304	R61 207 651	G	Panel L	BS		1					KB02A369G06		
305	R61 022 626	G	Pillar assy MF		1						KD00R845G09		Chg.
306	R61 023 626	G	Pillar assy MF	BS		1					KD00R845G10		Chg.
307	R61 020 626	G	Pillar MB		1						KB02J843G01		
308	R61 019 626	G	Pillar MB	BS		1					KB02J843G02		
309	R61 061 162	G	Frame assy F		1						KD00L182G03		
310	R61 060 162	G	Frame assy F	BS		1					KD00L182G05		Chg.
311	R61 085 162	G	Frame assy B		1						KD00L073G07		
312	R61 086 162	G	Frame assy B	BS		1					KD00L073G08		
313	R61 071 162	G	Frame assy LR		1						KD00L021G03		Chg.
314	R61 070 162	G	Frame assy LR	BS		1					KD00L021G04		Chg.
315	R61 069 162	G	Frame assy L		1						KD00L149G03		Chg.
316	R61 068 162	G	Frame assy L	BS		1					KD00L149G04		Chg.
317	R61 003 499	G	Plate HEX assy		1						KB00T714G01		
318	R61 004 499	G	Plate HEX assy	BS		1					KB00T714G02		
319	R61 072 162	G	Frame MT		1						KB02J833H01		
320	R61 073 162	G	Frame MT	BS		1					KB02J833G01		
321	R63 087 162	G	Frame M assy		1						KD00L159G09		Chg.
322	R63 088 162	G	Frame M assy	BS		1					KD00L159G10		Chg.
323	R61 058 162	G	Frame MR		1						KD02G743H04		
324	R61 059 162	G	Frame MR	BS		1					KD02G743G02		
325	R61 120 690	G	Piping cover		1						KB02L912G07		
326	R61 121 690	G	Piping cover	BS		1					KB02L912G08		
327	R61 212 651	G	Panel FBR		1						KB02J838H04		Chg.
328	R61 213 651	G	Panel FBR	BS		1					KB02J838G06		Chg.
329	R61 182 651	G	Panel FBL		1						KB02J837H02		Chg.
330	R61 183 651	G	Panel FBL	BS		1					KB02J837G04		Chg.
331	R61 177 651	G	Panel FU		2						KB02J839H01		
332	R61 178 651	G	Panel FU	BS		2					KB02J839G02		
333	R61 005 119	G	Bell mouth		2	2					KB25A367H03		
334	R61 007 118	G	Fan guard		2	2					KB25J857H04		
335	R61 009 669	G	Plate Fan guard		8	8					KD02D205H02		
336	R61 010 611	G	Fin guard B		2	2					KB07N272G01		
337	R61 016 140	G	Base fan		4						KD02D026H01		
338	R61 017 140	G	Base fan	BS		4					KD02D026G03		Chg.
339	R61 166 220	G	Motor	L-920-A-1 T AC200-230-920W							P780224X01	208V-230V	
340	R61 167 220	G	Motor	L-920-B4-1 Y AC380-400-920W	2	2					P780225X01	460V	
341	R63 4H6 300	G	Fan		2	2					KB25A009H04		Chg.
342	R63 4H6 122	G	Box nut	M12 CH	2	2					P552000X01		
343	R61 028 087	G	Upset Screw	M6 × 22	8	8					P516049X01		
344	R61 030 260	G	Transformer assy		1						KD00C027G03		
345	R61 031 260	G	Transformer assy	BS		1					KD00C027G04		


[illegible]



PUHY-P72TKMU-A(-BS)
PUHY-P72YKMU-A(-BS)

FUNCTIONAL PARTS (1)


No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change		Spec.	PUHY-P72YKML-A	PUHY-P72YKML-A-BS	PUHY-P72YKML-A	PUHY-P72YKML-A-BS			Dwg. No.	Notes for the models	Revision info.
			Part Name										
401	R69 092 478		Scroll compressor	ENB62FA-U	1	1					EP10132B02	208V-230V	
402	R69 093 478		Scroll compressor	ENB62FA-YE			1	1			EP10132B03	460V	
403	R63 638 480	G	Heat exchanger	3L	1		1				KD01R785G01		Chg.
404	R63 639 480	G	Heat exchanger	3L BS		1		1			KD01R785G02		Chg.
405	R61 041 484	G	Accumulator assy		1		1				KB54B478G15		
406	R61 042 484	G	Accumulator assy	BS		1		1			KB54B478G16		
407	R61 032 487	G	Oil separator assy		1	1	1	1			KD00R796G01		
408	R61 009 410	G	Ball valve	JA10YGME 4.15MPa D25	1	1	1	1			P636358X01	<BV1>	
409	R61 003 540	G	Valve	VSAMH3SSCM-LA1	1	1	1	1			P636346X01	<BV2>	
410	R61 008 454	G	Strainer	25.4D	1	1	1	1			KB48K250G01	<ST1>	
411	R63 Y03 454	G	Strainer	17.6D	1	1	1	1			W893281G01	<ST2>	
412	R61 004 413	G	Check joint L	R410A	2	2	2	2			P666013X01	<(HP)CJ1,(LP)CJ2>	
413	R63 002 425	G	Capillary tube assy		1	1	1	1			KB49F229G01	<CP1>	
414	R63 021 425	G	Capillary tube		1	1	1	1			KD49D414G01	<CP2>	Chg.
415	R61 005 418	G	Check valve	YAV R410A CV3.5	1	1	1	1			P633133X01	<CV1>	
416	R61 003 418	G	Check valve	LCVP157M CV8.5	1	1	1	1			P639180X01	<CV2>	
417	R63 Y05 154	G	Four way valve	STF-07	2	2	2	2			P633119X01	<21S4a,21S4b>	
418	R61 Y21 243	W	Four way valve coil	STF-01 208-230V	2	2	2	2			P472028X01	<21S4a,21S4b>	
419	R63 004 421	G	Two way valve	VR43202 CV 7.4 OFF-OPEN	1	1	1	1			P633129X02	<SV5b>	Chg.
420	R61 028 243	W	Two way valve coil	SQ-230V L1500	1	1	1	1			P472084X01	<SV5b>	
421	R63 046 232	G	Solenoid valve	FDF2A77 SV CV0.07	2	2	2	2			P631312X01	<SV1a,SV9>	Chg.
422	R61 029 243	G	Solenoid valve coil	FQD808 230V L1500	2	2	2	2			P472086X01	<SV1a,SV9>	
423	R63 001 921	G	Solenoid valve	VPV R410A	1	1	1	1			P631295X01	<SV2>	
424	R61 011 243	G	Solenoid valve coil	VPV UL AC208V-230V 60HZ	1	1	1	1			P472047X01	<SV2>	
425	R63 4H6 401	G	Linear expansion valve	CAM35-S R410A	1	1	1	1			P632444X01	<LEV1>	
426	R63 011 401	G	Solenoid valve coil	DC12V D17.35 POLE6	1	1	1	1			P472059X02	<LEV1>	
427	R61 036 401	G	Linear expansion valve	CV 20TON(PAM)	1	1	1	1			P632504X01	<LEV2>	
428	R61 022 243	G	Solenoid valve coil	PAM DC12V 6POLE	1	1	1	1			P472061X02	<LEV2>	
429	R63 Y11 208	G	Pressure switch	ACB1UB28W	1	1	1	1			P426320X01	<63H1>	
430	R63 049 288	G	Pressure sensor	HP	1	1	1	1			KB00H904G20	<63HS1>	Chg.
431	R63 050 288	G	Pressure sensor	LP	1	1	1	1			KB00H904G21	<63LS>	Chg.
432	R61 060 200	G	Thermistor	CHIP TH. 15KΩ	3	3	3	3			P418065X01	<TH2,TH3,TH7>	
433	R63 172 200	G	Thermistor	8D-2500L R0/15KΩ B0/3465K	2	2	2	2			P418098X01	<TH5,TH6>	Chg.
434	R63 911 202	G	Thermistor		1	1	1	1			P425416X02	<TH4>	
435	R61 001 310	G	Sensor holder		1	1	1	1			KB25B471H03		
436	R63 852 860	G	Rubber mount		4	4	4	4			W897574H01	For compressor	



PUHY-P96TKMU-A(-BS)
PUHY-P96YKMU-A(-BS)

FUNCTIONAL PARTS (2)

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change		Spec.	PUHY-P06TKMLA-A	PUHY-P06TKMLA-B	PUHY-P06YKMLA-A	PUHY-P06YKMLA-B			Dwg. No.	Notes for the models	Revision info.
			Part Name										
501	R69 094 478		Scroll compressor	HNB83FA-U	1	1					EP10136B01	208V-230V	
502	R69 096 478		Scroll compressor	HNB83FA-YE			1	1			EP10136B02	460V	
503	R61 640 480	G	Heat exchanger	3L	1		1				KD01R776G01		
504	R61 641 480	G	Heat exchanger	3L BS		1		1			KD01R776G02		
505	R61 091 484	G	Accumulator assy		1		1				KB54B479G29		
506	R61 090 484	G	Accumulator assy	BS		1		1			KB54B479G30		
507	R61 032 487	G	Oil separator assy		1	1	1	1			KD00R796G01		
508	R61 009 410	G	Ball valve	JA10YGME 4.15MPa D25	1	1	1	1			P636358X01	<BV1>	
509	R61 003 540	G	Valve	VSAMH3SSCM-LA1	1	1	1	1			P636346X01	<BV2>	
510	R61 008 454	G	Strainer	25.4D	1	1	1	1			KB48K250G01	<ST1>	
511	R63 Y03 454	G	Strainer	17.6D	1	1	1	1			W893281G01	<ST2>	
512	R61 004 413	G	Check joint L	R410A	2	2	2	2			P666013X01	<(HP)CJ1,(LP)CJ2>	
513	R63 002 425	G	Capillary tube assy		1	1	1	1			KB49F229G01	<CP1>	
514	R63 021 425	G	Capillary tube		1	1	1	1			KD49D414G01	<CP2>	Chg.
515	R61 005 418	G	Check valve	YAV R410A CV3.5	1	1	1	1			P633133X01	<CV1>	
516	R61 003 418	G	Check valve	LCVP157M CV8.5	1	1	1	1			P639180X01	<CV2>	
517	R63 Y05 154	G	Four way valve	STF-07	2	2	2	2			P633119X01	<21S4a,21S4b>	
518	R61 Y21 243	W	Four way valve coil	STF-01 208-230V	2	2	2	2			P472028X01	<21S4a,21S4b>	
519	R63 004 421	G	Two way valve	VR43202 CV 7.4 OFF-OPEN	1	1	1	1			P633129X02	<SV5b>	Chg.
520	R61 028 243	W	Two way valve coil	SQ-230V L1500	1	1	1	1			P472084X01	<SV5b>	
521	R63 046 232	G	Solenoid valve	FDF2A77 SV CV0.07	2	2	2	2			P631312X01	<SV1a,SV9>	Chg.
522	R61 029 243	G	Solenoid valve coil	FQD808 230V L1500	2	2	2	2			P472086X01	<SV1a,SV9>	
523	R63 001 921	G	Solenoid valve	VPV R410A	1	1	1	1			P631295X01	<SV2>	
524	R61 011 243	G	Solenoid valve coil	VPV UL AC208V-230V 60HZ	1	1	1	1			P472047X01	<SV2>	
525	R63 4H6 401	G	Linear expansion valve	CAM35-S R410A	1	1	1	1			P632444X01	<LEV1>	
526	R63 011 401	G	Solenoid valve coil	DC12V D17.35 POLE6	1	1	1	1			P472059X02	<LEV1>	
527	R61 036 401	G	Linear expansion valve	CV 20TON(PAM)	1	1	1	1			P632504X01	<LEV2>	
528	R61 022 243	G	Solenoid valve coil	PAM DC12V 6POLE	1	1	1	1			P472061X02	<LEV2>	
529	R63 Y11 208	G	Pressure switch	ACB1UB28W	1	1	1	1			P426320X01	<63H1>	
530	R63 049 288	G	Pressure sensor	HP	1	1	1	1			KB00H904G20	<63HS1>	Chg.
531	R63 050 288	G	Pressure sensor	LP	1	1	1	1			KB00H904G21	<63LS>	Chg.
532	R61 060 200	G	Thermistor	CHIP TH. 15KΩ	4	4	4	4			P418065X01	<TH2,TH3,TH5,TH7>	
533	R63 172 200	G	Thermistor	8D-2500L R0/15KΩ B0/3465K	1	1	1	1			P418098X01	<TH6>	Chg.
534	R63 911 202	G	Thermistor			1	1	1	1		P425416X02	<TH4>	
535	R61 001 310	G	Sensor holder		1	1	1	1			KB25B471H03		
536	R63 852 860	G	Rubber mount		4	4	4	4			W897574H01	For compressor	




No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change		Spec.	PUHY-P120TKMU-A	PUHY-P120TKMU-A-BS	PUHY-P144TKMU-A	PUHY-P144TKMU-A-BS	PUHY-P120YKMU-A	PUHY-P120YKMU-A-BS	Dwg. No.	Notes for the models	Revision info.
			Part Name										
601	R69 094 478		Scroll compressor	HNB83FA-U	1	1	1	1			EP10136B01	208V-230V	
602	R69 096 478		Scroll compressor	HNB83FA-YE					1	1	EP10136B02	460V	
603	R61 642 480	G	Heat exchanger L	3L	1		1		1		KD01R771G01		
604	R61 643 480	G	Heat exchanger L	3L BS		1		1		1	KD01R771G02		
605	R63 644 480	G	Heat exchanger R	3L	1		1		1		KD01R885G01		Chg.
606	R63 645 480	G	Heat exchanger R	3L BS		1		1		1	KD01R885G02		Chg.
607	R61 089 484	G	Accumulator assy		1		1		1		KB54B479G31		
608	R61 088 484	G	Accumulator assy	BS		1		1		1	KB54B479G32		
609	R61 032 487	G	Oil separator assy		1	1	1	1	1	1	KD00R796G01		
610	R61 009 410	G	Ball valve	JA10YGME 4.15MPa D25	1	1	1	1	1	1	P636358X01	<BV1>	
611	R61 004 540	G	Valve	VSAMH4SSCM-LA1	1	1	1	1	1	1	P636345X01	<BV2>	
612	R61 008 454	G	Strainer	25.4D	1	1	1	1	1	1	KB48K250G01	<ST1>	
613	R63 Y03 454	G	Strainer	17.6D	1	1	1	1	1	1	W893281G01	<ST2>	
614	R63 R34 413	G	Check joint L	R410A	2	2	2	2	2	2	P666004X02	<(HP)CJ1,(LP)CJ2>	
615	R63 R55 425	G	Capillary tube assy		1	1	1	1	1	1	W905191G02	<CP1>	
616	R63 021 425	G	Capillary tube		1	1	1	1	1	1	KD49D414G01	<CP2>	Chg.
617	R61 005 418	G	Check valve	YAV R410A CV3.5	1	1	1	1	1	1	P633133X01	<CV1>	
618	R61 003 418	G	Check valve	LCVP157M CV8.5	1	1	1	1	1	1	P639180X01	<CV2>	
619	R63 Y05 154	G	Four way valve	STF-07	3	3	3	3	3	3	P633119X01	<21S4a,21S4b,21S4c>	
620	R61 Y21 243	W	Four way valve coil	STF-01 208-230V	3	3	3	3	3	3	P472028X01	<21S4a,21S4b,21S4c>	
621	R63 004 421	G	Two way valve	VR43202 CV 7.4 OFF-OPEN	2	2	2	2	2	2	P633129X02	<SV5b,SV5c>	Chg.
622	R61 028 243	W	Two way valve coil	SQ-230V L1500	2	2	2	2	2	2	P472084X01	<SV5b,SV5c>	
623	R63 046 232	G	Solenoid valve	FDF2A77 SV CV0.07	2	2	2	2	2	2	P631312X01	<SV1a,SV9>	Chg.
624	R61 029 243	G	Solenoid valve coil	FQD808 230V L1500	2	2	2	2	2	2	P472086X01	<SV1a,SV9>	
625	R63 001 921	G	Solenoid valve	VPV R410A	1	1	1	1	1	1	P631295X01	<SV2>	
626	R61 011 243	G	Solenoid valve coil	VPV UL AC208V-230V 60HZ	1	1	1	1	1	1	P472047X01	<SV2>	
627	R63 4H6 401	G	Linear expansion valve	CAM35-S R410A	1	1	1	1	1	1	P632444X01	<LEV1>	
628	R63 011 401	G	Solenoid valve coil	DC12V D17.35 POLE6	1	1	1	1	1	1	P472059X02	<LEV1>	
629	R61 036 401	G	Linear expansion valve	CV 20TON(PAM)	1	1	1	1	1	1	P632504X01	<LEV2>	
630	R61 022 243	G	Solenoid valve coil	PAM DC12V 6POLE	1	1	1	1	1	1	P472061X02	<LEV2>	
631	R63 Y11 208	G	Pressure switch	ACB1UB28W	1	1	1	1	1	1	P426320X01	<63H1>	
632	R63 051 288	G	Pressure sensor	HP	1	1	1	1	1	1	KB00F899G33	<63HS1>	Chg.
633	R63 025 288	G	Pressure sensor	LP	1	1	1	1	1	1	KB00F899G13	<63LS>	
634	R61 060 200	G	Thermistor	CHIP TH. 15KΩ	4	4	4	4	4	4	P418065X01	<TH3,TH5,TH6,TH7>	
635	R63 172 200	G	Thermistor	8D-2500L R0/15KΩ B0/3465K	1	1	1	1	1	1	P418098X01	<TH2>	Chg.
636	R63 911 202	G	Thermistor		1	1	1	1	1	1	P425416X02	<TH4>	
637	R61 001 310	G	Sensor holder		1	1	1	1	1	1	KB25B471H03		
638	R63 852 860	G	Rubber mount		4	4	4	4	4	4	W897574H01	For compressor	

PUHY-P120,P144TKMU-A(-BS)
PUHY-P120,P144YKMU-A(-BS)

FUNCTIONAL PARTS (3)


No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change		Spec.	PUHY-P144YKML-A	PUHY-P144YKML-A-BS					Dwg. No.	Notes for the models	Revision info.
			Part Name										
601	R69 094 478		Scroll compressor	HNB83FA-U							EP10136B01	208V-230V	
602	R69 096 478		Scroll compressor	HNB83FA-YE	1	1					EP10136B02	460V	
603	R61 642 480	G	Heat exchanger L	3L	1						KD01R771G01		
604	R61 643 480	G	Heat exchanger L	3L BS		1					KD01R771G02		
605	R63 644 480	G	Heat exchanger R	3L	1						KD01R885G01		Chg.
606	R63 645 480	G	Heat exchanger R	3L BS		1					KD01R885G02		Chg.
607	R61 089 484	G	Accumulator assy		1						KB54B479G31		
608	R61 088 484	G	Accumulator assy	BS		1					KB54B479G32		
609	R61 032 487	G	Oil separator assy		1	1					KD00R796G01		
610	R61 009 410	G	Ball valve	JA10YGM E 4.15MPa D25	1	1					P636358X01	<BV1>	
611	R61 004 540	G	Valve	VSAMH4SSCM-LA1	1	1					P636345X01	<BV2>	
612	R61 008 454	G	Strainer	25.4D	1	1					KB48K250G01	<ST1>	
613	R63 Y03 454	G	Strainer	17.6D	1	1					W893281G01	<ST2>	
614	R63 R34 413	G	Check joint L	R410A	2	2					P666004X02	<(HP)CJ1,(LP)CJ2>	
615	R63 R55 425	G	Capillary tube assy		1	1					W905191G02	<CP1>	
616	R63 021 425	G	Capillary tube		1	1					KD49D414G01	<CP2>	Chg.
617	R61 005 418	G	Check valve	YAV R410A CV3.5	1	1					P633133X01	<CV1>	
618	R61 003 418	G	Check valve	LCVP157M CV8.5	1	1					P639180X01	<CV2>	
619	R63 Y05 154	G	Four way valve	STF-07	3	3					P633119X01	<21S4a,21S4b,21S4c>	
620	R61 Y21 243	W	Four way valve coil	STF-01 208-230V	3	3					P472028X01	<21S4a,21S4b,21S4c>	
621	R63 004 421	G	Two way valve	VR43202 CV 7.4 OFF-OPEN	2	2					P633129X02	<SV5b,SV5c>	Chg.
622	R61 028 243	W	Two way valve coil	SQ-230V L1500	2	2					P472084X01	<SV5b,SV5c>	
623	R63 046 232	G	Solenoid valve	FDF2A77 SV CV0.07	2	2					P631312X01	<SV1a,SV9>	Chg.
624	R61 029 243	G	Solenoid valve coil	FQD808 230V L1500	2	2					P472086X01	<SV1a,SV9>	
625	R63 001 921	G	Solenoid valve	VPV R410A	1	1					P631295X01	<SV2>	
626	R61 011 243	G	Solenoid valve coil	VPV UL AC208V-230V 60HZ	1	1					P472047X01	<SV2>	
627	R63 4H6 401	G	Linear expansion valve	CAM35-S R410A	1	1					P632444X01	<LEV1>	
628	R63 011 401	G	Solenoid valve coil	DC12V D17.35 POLE6	1	1					P472059X02	<LEV1>	
629	R61 036 401	G	Linear expansion valve	CV 20TON(PAM)	1	1					P632504X01	<LEV2>	
630	R61 022 243	G	Solenoid valve coil	PAM DC12V 6POLE	1	1					P472061X02	<LEV2>	
631	R63 Y11 208	G	Pressure switch	ACB1UB28W	1	1					P426320X01	<63H1>	
632	R63 051 288	G	Pressure sensor	HP	1	1					KB00F899G33	<63HS1>	Chg.
633	R63 025 288	G	Pressure sensor	LP	1	1					KB00F899G13	<63LS>	
634	R61 060 200	G	Thermistor	CHIP TH. 15KΩ	4	4					P418065X01	<TH3,TH5,TH6,TH7>	
635	R63 172 200	G	Thermistor	8D-2500L R0/15KΩ B0/3465K	1	1					P418098X01	<TH2>	Chg.
636	R63 911 202	G	Thermistor		1	1					P425416X02	<TH4>	
637	R61 001 310	G	Sensor holder		1	1					KB25B471H03		
638	R63 852 860	G	Rubber mount		4	4					W897574H01	For compressor	



[illegible]


PUHY-P96TKMU-A(-BS)
PUHY-P120TKMU-A(-BS)
PUHY-P144TKMU-A(-BS)

CONTROL BOX PARTS (2)



CONTROL BOX PARTS (2)

[illegible]




CONTROL BOX PARTS (3)

22

CONTROL BOX PARTS (3)


23



PUHY-P120TKMU-A(-BS)
PUHY-P144TKMU-A(-BS)

FAN BOX PARTS (1)

[illegible]



PUHY-P120YKMU-A(-BS)
PUHY-P144YKMU-A(-BS)

FAN BOX PARTS (2)

[illegible]

mitsubishi **electric** **corporation**

BWE1206A (20140731)