

# LSPX-P1

## SERVICE MANUAL

US Model  
AEP Model

Ver. 1.0 2016.04



Image : LSPX-P1 / LSPX-PT1

**Note:**

Be sure to keep your PC used for service and checking of this unit always updated with the latest version of your anti-virus software. In case a virus affected unit was found during service, contact your Service Headquarters.

### SPECIFICATIONS

#### Portable Ultra Short Throw Projector (LSPX-P1)

##### ■ Projector

###### Display system

Projection system

###### Display device

0.37 inch SXRD × 1

1366 × 768 pixels

###### Projection image size

22 inches to 80 inches

###### Light source

Laser diode

###### Light output

100 lm

##### ■ Audio

###### Speakers

Approx. 25 mm diameter × 2 (monaural) bass reflex system

###### Amplifier

2 W × 2 W monaural (4 ohms)

##### ■ Wireless communication

###### Wireless LAN

IEEE 802.11a/b/g/n (2.4 GHz band, 5 GHz band), MIMO compatible

###### Bluetooth

Bluetooth 4.0 (Bluetooth Low Energy)

##### ■ General

###### Operating temperature

5 °C to 35 °C (41 °F to 95 °F)

###### Built-in battery

Lithium-ion battery

###### Dimensions

Approx. 80 mm × 131 mm × 131 mm (3 1/4 inches × 5 1/4 inches × 5 1/4 inches)  
(width × height × depth)

###### Mass

Approx. 930 g (2 lb 1 oz)

**HDMI**

**Bluetooth**  
SMART

**WiFi**  
CERTIFIED (Only as for projector)

– Specifications follows after this page –

## PORTABLE ULTRA SHORT THROW PROJECTOR

# SONY®

**Wireless Unit (LSPX-PT1)****■ Input/output**

HDMI IN connector  
HDMI OUT (pass through) connector  
IR BLASTER connector (Mini jack)

**■ Wireless communication****Wireless LAN**

IEEE 802.11a/n (5 GHz band), MIMO compatible

**■ General****Operating temperature**

5 °C to 35 °C (41 °F to 95 °F)

**Dimensions**

Approx. 135 mm × 35 mm × 135 mm (5 3/8 inches × 1 7/16 inches × 5 3/8 inches)  
(width × height × depth)

**Mass**

Approx. 200 g (7 oz)

**Supplied accessories**

AC adaptor VGP-AC19V77 (1)  
AC adaptor LSPX-AC5V2 (1)  
Power cord (2)  
IR Blaster (1)  
Startup Guide (1)  
Reference Guide (1)  
Warranty (1)

**Optional accessories**

Floor stand LSPX-PS1

Design and specifications are subject to change without notice.

ACCESSORIES

1 AC adaptor  
VGP-AC19V77



2 AC adaptor  
LSPX-AC5V2



3 IR Blaster



4 Wireless Unit



5 Power cord



Image: 1-846-425-33 (US)

205 Power cord



Image: 1-848-678-21 (AEP)

205 Power cord



Image: 1-848-679-21 (AEP)

The components identified by mark  $\triangle$  or dotted line with mark  $\triangle$  are critical for safety. Replace only with part number specified.

Les composants identifiés par une marque  $\triangle$  sont critiques pour la sécurité. Ne les remplacer que par une pièce portant le numéro spécifié.

Ref. No.	Part No.	Description	Remark	Ref. No.	Part No.	Description	Remark
$\triangle$ 1	1-492-525-33	AC ADAPTER (VGP-AC19V77) 2PIN	AC adaptor VGP-AC19V77	$\triangle$ 5	1-848-678-21	CORD SET, POWER-SUPPLY	Power cord (AEP)
$\triangle$ 2	1-493-152-12	ADAPTOR, AC	AC adaptor LSPX-AC5V2	$\triangle$ 5	1-848-679-21	CORD SET, POWER-SUPPLY	Power cord (AEP)
3	1-759-586-62	CONTROLLER, VIDEO (AV MOUSE)	IR Blaster				
$\triangle$ 4	1-845-348-21	WIRELESS UNIT	Wireless Unit (US)				
$\triangle$ 4	1-845-348-31	WIRELESS UNIT	Wireless Unit (AEP)				
$\triangle$ 5	1-846-425-33	CORD SET, POWER-SUPPLY	Power cord (US)				

