



T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088
Travelers Rest, SC 29690

Model No.

B-0805-PA

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

This Space for Architect/Engineer Approval

Job Name _____ Date _____

Model Specified _____ Quantity _____


Customer/Wholesaler _____

Contractor _____

Architect/Engineer _____



ADA Compliant



1 15/16"
[50mm]



Pivot Action Metering Cartridge
(Requires 3/32" Hex Key for Adjustment)

Blank Pivot Action Handle
& Spanner Bit

Loosen Vandal Resistant
Screw (Do Not Remove)
and Flip Handle Up to
Access Metering Adjustment

B-0199-02
2.2 GPM
Aerator

Mounting Surface

1/2" NPSM
Male Inlet w/
Coupling Nut

1"
[25mm]
Maximum
Thickness

1 5/8"
[41mm]

6 15/16"
[176mm]

4 7/8"
[124mm]

1 15/16"
[50mm]

4 5/16"
[109mm]

Rough-In Requirement:
Ø 1" [25mm] Mounting Hole

Product Specifications:

Single Temperature Metering Faucet, Pivot Action Metering Cartridge,
2.2 GPM Aerator & 1/2" NPSM Male Inlet

Drawn

KJG

Checked

DHL

Approved

JHB

Scale:

1:4

Date:

03/18/13



T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088
Travelers Rest, SC 29690


Model No.

B-0805-PA

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

ITEM NO.	SALES NO.	DESCRIPTION
1	238AB-PA	Pivot Action Metering Cartridge w/ Blank PA Handle & Spanner Bit
2	PA-N	Retaining Nut
3	PA-B	Blank Pivot Action Handle Assembly w/ Retaining Nut and Spanner Bit
4	238A-PA	Pivot Action Metering Cartridge w/ Retaining Nut
5	001043-45	Washer
6	044A	3/8" to Aerator Adapter
7	B-0199-01	2.2 GPM Aerator, 55/64"-27UN Female
8	000999-45	Brass Lock Washer
9	B-0199-02	2.2 GPM Aerator, 3/8" NPSM Male
10	002954-45	Shank Lock Nut
11	000958-20	Coupling Nut



014734-45
Spanner Bit

Product Specifications:

Single Temperature Metering Faucet, Pivot Action Metering Cartridge,
2.2 GPM Aerator & 1/2" NPSM Male Inlet

Drawn

KJG

Checked

DHL

Approved

JHB

Scale:

NTS

Date:

03/18/13